

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
1	THE TRUNK:TSC3 FIELD IS PROHIBITED IF THE TRUNK:TSC2 FIELD IS NOT POPULATED
2	THE TRUNK:TSC4 FIELD IS PROHIBITED IF THE TRUNK:TSC3 FIELD IS NOT POPULATED
3	ARI:REFNUM FIELD IS REQUIRED
6	INVALID FORMAT FOR POSITIONS 2-7 OF THE ASR:FDT FIELD
9	THE ASR:AFO(1) FIELD IS REQUIRED IF THE ASR:AFO(3) FIELD IS POPULATED AND THE ASR:RQTYP(1) FIELD IS 'M'; AND THE ASR:QTY FIELD IS GREATER THAN 1 AND THE TRUNK:QACI FIELD IS POPULATED
10	INVALID VALUE FOR THE ASR:AFO FIELD
11	THE ASR:QNAI FIELD MUST BE EQUAL TO THE TOTAL NUMBER OF NAI CIRCUIT DETAIL SECTIONS - VERIFY INPUT
14	ASR:LTP FIELD IS PROHIBITED WHEN ASR:ACT IS NOT 'N', 'C' OR 'D'
15	THE ASR:D_SENT FIELD IS REQUIRED
16	THE ASR:T_SENT FIELD IS REQUIRED
17	THE ASR:SUP FIELD MUST BE POPULATED WHEN THE ASR:VERSION FIELD IS GREATER THAN 01
20	SUPPLEMENTS ARE NOT ALLOWED IF THE ASR HAS BEEN COMPLETED
24	THE ASR:QTY FIELD MUST BE '1' OR "0000001" FOR MULTIPOINT CIRCUITS
26	THE ASR:QTY FIELD MUST BE 1 + THE NUMBER OF SEGMENTS ON THE ARI FORM
27	THE ASR:DSGCON FIELD IS REQUIRED
29	THE ASR:ACT FIELD IS REQUIRED
33	THE ASR:RFNI FIELD IS PROHIBITED WHEN THE ASR:REQTYP(1) FIELD IS NOT "R", "S" OR "E"
34	THE ASR:EVCI FIELD IS PROHIBITED WHEN THE ASR:REQTYP(1) FIELD IS NOT "S"
35	THE ASR:QSA FIELD IS PROHIBITED WHEN THE ASR:EVCI FIELD IS 'A';
36	THE ASR:ECCKT FIELD IS PROHIBITED WHEN THE ASR:EVCI FIELD IS 'A';
37	ASR:QTY FIELD MUST BE '1' OR "0000001" WHEN THE ASR:EVCI FIELD IS 'A'
38	THE ASR:ACTL FIELD IS PROHIBITED WHEN THE ASR:EVCI FIELD IS 'A';
39	THE ASR:SPEC FIELD IS PROHIBITED WHEN THE ASR:EVCI FIELD IS 'A';
40	THE ASR:PSL FIELD IS PROHIBITED WHEN THE ASR:PSLI FIELD IS 'G';
41	THE ASR:PSL FIELD IS REQUIRED WHEN THE ASR:PSLI FIELD IS 'A', 'B', 'C', 'D', 'E', or 'F';
42	THE ASR:AFO(2) FIELD IS PROHIBITED WHEN THE ASR:UNE FIELD OR THE ASR:EVCI FIELD IS POPULATED
43	THE ASR:AFO(1) FIELD IS REQUIRED WHEN THE ASR:AFO(3) FIELD IS POPULATED AND THE ASR:REQTYP(1) FIELD IS "A", "E", "S", "V" OR "X" AND THE ASR:QTY FIELD IS GREATER THAN 1
44	THE ASR:PSD FIELD SHOULD BE IN CCYYMMDD FORMAT

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
45	THE ASR:PSD FIELD IS PROHIBITED WHEN THE ASR:PNUM FIELD IS NOT POPULATED
46	WHEN THE ASR:EVCI FIELD IS POPULATED WITH 'A', SERVICE SPECIFIC FORMS ARE PROHIBITED
47	THE ASR:AFO(2) FIELD IS REQUIRED WHEN THE TSR FORM IS PROVIDED
52	THE ASR:ASCEC FIELD CANNOT CHANGE ON SUPPLEMENTS
53	THE ASR:FUSF FIELD IS REQUIRED WHEN THE ASR:REQTYP(1) FIELD IS 'E' OR 'S' AND THE ASR:ACT FIELD IS 'N', 'C', OR 'T';
54	THE ASR:FUSF FIELD IS PROHIBITED UNLESS (THE ASR:REQTYP(1) FIELD IS 'E' OR 'S' AND THE ASR:ACT FIELD IS 'N', 'C', OR 'T';) OR (THE ASR:REQTYP(1) FIELD IS 'E' OR 'S' AND THE ASR:ACT FIELD IS 'R';)
55	THE ASR:CC FIELD IS REQUIRED WHEN ORDERING LOCAL INTERCONNECTION SERVICES
56	THE ASR:CC FIELD IS PROHIBITED UNLESS ORDERING LOCAL INTERCONNECTION SERVICES
57	THE ASR:ACT FIELD MUST BE 'C' OR 'R'; WHNE THE ASR:TQ(2) FIELD IS 'N' OR 'X';
58	THE ASR:ACT FIELD MUST BE 'R'; WHEN EOD:EOUSE FIELD IS 'A';
59	IF ASR:REQTYP(1) IS 'R', THEN ASR:ACT FIELD MUST BE 'N', 'D', OR 'C';
60	THE ASR:ACT FIELD MUST BE 'N', 'D', 'R', OR 'C'; FOR ETHERNET VIRTUAL CONNECTION SERVICE
61	WHEN THE ASR:TQ(1) FIELD IS 'A', THE ASR WHICH HAS THE TQ FORM ATTACHED WILL BE IDENTIFIED IN THE ASR:RPON FIELD
62	FOR OECs, THE RECEIPT OF A SUP VALUE OTHER THAN BLANK, '3' OR '4' IS NOT ALLOWED ON INITIAL ASRs
63	AN ASCEC CAN BE ADDED TO A PENDING REQUEST BUT MUST MATCH THE ICSC OF THE PROVIDER TO WHICH THE ORIGINAL REQUEST WAS SENT
2102	THE ASR:CCNA FIELD IS REQUIRED
2105	THE ASR:PON FIELD IS REQUIRED
2107	THE ASR:VER FIELD IS REQUIRED
2110	POSITION 2 OF THE ASR:SPA FIELD IS FOR 'AP' USE ONLY
2111	THE ASR:ICSC FIELD IS REQUIRED
2112	THE ASR:ICSC FIELD WAS NOT FOUND IN THE ICSC TABLE
2115	THE ASR:QA FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS NOT 'N', 'C' OR 'T'
2117	THE ASR:DDD FIELD IS REQUIRED
2120	THE ASR:FDT FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'R'
2122	THE ASR:PROJ FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'D' AND THE ASR:CCVN FIELD IS POPULATED
2123	THE ASR:PPTD FIELD IS PROHIBITED WHEN THE ASR:PROJ FIELD IS NOT POPULATED
2131	THE ASR:LUP FIELD IS PROHIBITED WHEN THE ASR:PIU FIELD IS NOT POPULATED OR IS EQUAL TO 100
2132	THE ASR:LUP FIELD IS PROHIBITED WHEN THE ASR:RQTYP(1) FIELD IS 'R'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
2136	THE ASR:RQTYP FIELD IS REQUIRED
2142	'M' IS INVALID FOR THE ASR:ACT FIELD FOR MULTIPOINT , BROADBAND AND ETHERNET VIRTUAL CONNECTION SERVICES
2143	'T' IS INVALID FOR THE ASR:ACT FIELD FOR TRUNK, MULTIPOINT, BROADBAND AND ETHERNET VIRTUAL CONNECTION SERVICES
2144	THE ASR:RTR FIELD IS REQUIRED
2163	THE ASR:AFO(1) FIELD IS PROHIBITED WHEN THE ACI FORM IS NOT PROVIDED
2164	THE ASR:AFO(2) FIELD IS PROHIBITED WHEN THE TSR FORM IS NOT PROVIDED
2165	THE ASR:AFO (4) FIELD IS PROHIBITED WHEN THE EOD FORM IS NOT PROVIDED
2166	THE ASR:AFO(3) FIELD IS PROHIBITED WHEN THE NAI FORM IS NOT PROVIDED
2173	THE ASR:AENG FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS NOT 'N', 'C', 'M' OR 'T'
2176	THE ASR:ALBR FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N', 'C', 'M', OR 'T'
2179	THE ASR:DATED FIELD IS REQUIRED WHEN THE ASR:AGAUTH FIELD IS 'E' OR 'B'
2181	THE ASR:CUST FIELD IS REQUIRED WHEN THE ASR:CCNA FIELD IS 'CUS'
2183	AT LEAST ONE ELEMENT LABEL INDICATOR IS REQUIRED IN POSITIONS (2 TO 4) OF THE ASR:FBA FIELD WHEN SPLIT BILLING
2185	THE ASR:FBA FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D' OR 'M'
2187	THE ASR:UNIT FIELD IS REQUIRED
2188	THE ASR:UNIT FIELD IS REQUIRED WHEN THE ASR:RQTYP (1) FIELD IS 'A' OR 'L' AND THE ASR:ACT FIELD IS 'N', 'C', OR 'D'
2189	THE ASR:UNIT FIELD IS PROHIBITED WHEN (THE ASR:TQ FIELD (2) IS 'N' OR 'X') OR (THE EOD:EOUSE FIELD IS 'A')
2194	THE ASR:PIU FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'S', 'E', 'V', 'X' OR 'W' AND THE ASR:ACT FIELD IS 'C', 'M', 'T' OR 'R'
2198	INVALID ENTRY FOR THE ASR:LTP FIELD
2201	THE ASR:ECCKT FIELD IS REQUIRED
2203	THE ASR:QTY FIELD IS REQUIRED WHEN (THE ASR:ACT FIELD IS 'N', 'C', 'D', 'M' OR 'T'), (THE ASR:TQ(2) FIELD IS NOT 'N' OR 'X'), AND (THE EOD:EOUSE FIELD IS NOT 'A')
2204	THE ASR:QTY FIELD IS PROHIBITED WHEN THE ASR:TQ(2) FIELD IS 'N' OR 'X'
2205	THE ASR:QTY FIELD IS PROHIBITED WHEN THE EOD:EOUSE FIELD IS 'A'
2207	THE ASR:QTY FIELD SHOULD BE "1" OR "0000001" WHEN THE TRANS:NVC OR EUSA:NVC FIELD IS > 0
2208	THE ASR:BAN FIELD IS REQUIRED
2210	THE ASR:BIC FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M'
2212	THE ASR:BICTEL FIELD IS REQUIRED WHEN THE ASR:BICID FIELD IS POPULATED
2214	THE ASR:BICTEL FIELD IS PROHIBITED UNLESS THE ASR:BICID FIELD IS POPULATED
2215	THE ASR:BICID FIELD IS REQUIRED WHEN THE ASR:BIC FIELD IS POPULATED

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
2216	THE ASR:BICID FIELD IS PROHIBITED UNLESS THE ASR:BIC FIELD IS POPULATED
2217	THE ASR:TSC FIELD IS REQUIRED WHEN THE ASR:LA FIELD IS 'Y' AND THE ASR:RQTYP(1) FIELD IS 'M' OR 'L'
2218	THE ASR:TSC FIELD IS PROHIBITED UNLESS (THE ASR:LA FIELD IS 'Y' AND THE ASR:RQTYP (1) IS 'M' OR 'L') OR (THE ASR:LA FIELD IS NOT POPULATED AND THE ASR:RQTYP(1) IS 'M' OR 'L')
2219	THE ASR:ACTL FIELD IS REQUIRED UNLESS ((THE ASR:EVCI FIELD IS 'A"), (THE ASR:RQTYP (1) FIELD IS 'E.' OR 'X'); OR (THE RING:PRILOC FIELD IS POPULATED); OR (THE ASR:PSLI FIELD IS 'A'); OR (THE ASR:TQ (2) FIELD IS 'N' OR 'X'); OR (ASR:RQTYP (1) FIELD IS 'W' AND THE ASR:BAN FIELD IS NOT 'N'))
2220	THE ASR:ACTL FIELD IS PROHIBITED WHEN THE ASR:RQTYP(1) FIELD IS 'E' OR 'X'
2221	THE ASR:ACTL FIELD IS PROHIBITED WHEN THE RING:PRILOC FIELD IS POPULATED
2222	THE ASR:ACTL FIELD MUST BE EXACTLY '8' OR '11' CHARACTERS
2223	THE ASR:ACTL FIELD WAS NOT FOUND IN THE LOCATION TABLE
2229	THE ASR:APOT FIELD WAS NOT FOUND IN THE LOCATION TABLE
2230	THE ASR:RPON FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'D' AND THE ASR:CCVN FIELD IS POPULATED
2231	THE ASR:RPON FIELD IS REQUIRED WHEN THE ASR:NOR FIELD IS POPULATED
2232	THE ASR:RPON FIELD IS REQUIRED WHEN THE ASR:TQ(1) FIELD IS 'A'
2233	THE ASR:RPON FIELD IS REQUIRED WHEN THE TRANS:ATN OR THE EUSA:ATN FIELD IS 'N'
2235	THE ASR:CCVN FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N' OR 'D'
2236	THE MULTI-EC FORM MUST BE PROVIDED WHEN THE ASR:ASCEC FIELD IS POPULATED
2237	INVALID FORMAT FOR THE ASR:TSP FIELD ([9 CHAR TSP] - ['E' OR '0-5'] ['0-5'])
2241	THE NUMBER OF OCCURRENCES OF THE ASR:BILLING SECTION SHOULD BE 1
2242	THE ASR:BILLNM FIELD IS REQUIRED WHEN THE ASR:CCNA FIELD IS 'CUS'
2243	THE ASR:BILLNM FIELD IS REQUIRED WHEN THE ASR:BAN FIELD IS 'N'
2245	THE ASR:BILLNM FIELD IS REQUIRED WHEN THEN ASR:ACNA FIELD IS 'ZZZ'
2246	THE ASR:ACNA FIELD IS REQUIRED
2248	THE ASR:TE FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' AND THE ASR:BAN FIELD IS 'N'
2250	THE ASR:BILLSTR FIELD IS REQUIRED WHEN THE ASR:BAN FIELD IS 'N'
2251	THE ASR:BILLCTY FIELD IS REQUIRED WHEN THE ASR:BAN FIELD IS 'N'
2252	THE ASR:BILLST FIELD IS REQUIRED WHEN THE ASR:BAN FIELD IS 'N'
2254	THE ASR:BILLZIP FIELD IS REQUIRED WHEN THE ASR:BAN FIELD IS 'N'
2255	THE ASR:BILLCON FIELD IS REQUIRED WHEN THE ASR:BAN FIELD IS 'N'
2256	THE ASR:BILLTN FIELD IS REQUIRED WHEN THE ASR:BAN FIELD IS 'N'
2260	THE ASR:VCVTA FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) IS 'V' OR 'X' AND THE VC:VCVTA FIELD IS NOT POPULATED

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
2261	THE NUMBER OF OCCURRENCES OF THE ASR:CONTACT SECTION SHOULD BE 1
2262	THE ASR:INIT FIELD IS REQUIRED
2263	THE ASR:INITTN FIELD IS REQUIRED
2276	THE ASR:DRC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND THE ASR:RTR FIELD IS 'S' OR '1-10' AND (THE ASR:DSGSTR FIELD IS NOT POPULATED OR THE ASR:DSGFAXNO IS NOT POPULATED)
2278	THE ASR:DRC FIELD IS PROHIBITED WHEN THE ASR:RTR(1) FIELD IS 'D' OR 'F'
2291	THE ASR:MTCE FIELD IS PROHIBITED WHEN THE IMPLEMENTATION CONTACT AND THE MAINTENANCE CONTACT ARE THE SAME
2292	THE ASR:IMPCON FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', 'M', 'D' OR 'T'
2293	THE ASR:IMPCON FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'R' AND THE ASR:TQ FIELD IS POPULATED
2294	THE ASR:IMPTN FIELD IS REQUIRED WHEN THE ASR:IMPCON FIELD IS POPULATED
2295	THE ASR:IMPTN FIELD IS PROHIBITED UNLESS THE ASR:IMPCON FIELD IS POPULATED
2299	THE ASR:MT CETN FIELD IS REQUIRED WHEN THE ASR:MTCE FIELD IS POPULATED
2300	THE ASR:MT CETN FIELD IS PROHIBITED UNLESS THE ASR:MTCE FIELD IS POPULATED
2399	THE ASR:FDRC FIELD IS PROHIBITED UNLESS (THE ASR:ACT FIELD IS 'N', 'C' OR 'T') AND (THE ASR:RTR FIELD IS 'S' OR '1-10') AND (THE ASR:DSGSTR FIELD IS NOT POPULATED OR THE ASR:DSGFAXNO FIELD IS NOT POPULATED)
2402	THE TRANS:NC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T'
2403	THE TRANS:NC FIELD WAS NOT FOUND IN THE NETWORK CHANNEL CODE TABLE
2404	THE TRANS:NCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T'
2406	THE TRANS:NCI FIELD WAS NOT FOUND IN THE NETWORK CHANNEL INTERFACE CODE TABLE
2407	POSITIONS 1 TO 6 OF THE TRANS:TLV FIELD ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND POSITION 8 OR 11 OF THE TRANS:NCI FIELD IS 'I'
2408	POSITIONS 1 TO 6 OF THE TRANS:TLV FIELD ARE PROHIBITED UNLESS POSITIONS 8 OR 11 OF THE TRANS:NCI FIELD IS 'I'
2409	POSITIONS 7 TO 12 OF THE TRANS:TLV FIELD ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND POSITION 9 OR 12 OF THE TRANS:NCI FIELD IS 'I'
2410	POSITIONS 7 TO 12 OF THE TRANS:TLV FIELD ARE PROHIBITED UNLESS POSITIONS 9 OR 12 OF THE TRANS:NCI FIELD IS 'I'
2411	INVALID FORMAT FOR THE TRANS:TLV FIELD
2414	INVALID FORMAT FOR TRANS:S25 FIELD
2429	THE TRANS:SR FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
2433	THE TRANS:SECNCI FIELD IS REQUIRED FOR TWO POINT SERVICE WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T'
2434	THE TRANS:SECNCI FIELD IS PROHIBITED WHEN MULTIPOINT SERVICES
2436	THE TRANS:SECNCI FIELD WAS NOT FOUND IN THE NETWORK CHANNEL INTERFACE CODE TABLE
2440	POSITIONS 1 TO 6 OF THE TRANS:SECTLV FIELD ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND POSITION 8 OR 11 OF THE TRANS:SECNCI FIELD IS 'I'
2441	POSITIONS 1 TO 6 OF THE TRANS:SECTLV FIELD ARE PROHIBITED UNLESS POSITIONS 8 OR 11 OF THE TRANS:SECNCI FIELD IS 'I'
2442	POSITIONS 7 TO 12 OF THE TRANS:SECTLV FIELD ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND POSITION 9 OR 12 OF THE TRANS:SECNCI FIELD IS 'I'
2443	POSITIONS 7 TO 12 OF THE TRANS:SECTLV FIELD ARE PROHIBITED UNLESS POSITIONS 9 OR 12 OF THE TRANS:SECNCI FIELD IS 'I'
2444	INVALID FORMAT FOR THE TRANS:SECTLV FIELD
2446	THE TRANS:CKLT FIELD IS REQUIRED FOR MULTIPOINT SERVICES WHEN THE ASR:ACT FIELD IS 'N' OR 'C'
2448	THE TRANS:CKLT FIELD WAS NOT FOUND IN THE LOCATION TABLE
2449	THE TRANS:NSL FIELD IS REQUIRED WHEN MSL FORMS ARE PROVIDED AND ASR:UNE IS BLANK
2450	THE TRANS:NSL FIELD IS PROHIBITED UNLESS MSL FORMS ARE PROVIDED AND ASR:UNE IS BLANK
2452	INVALID FORMAT FOR THE TRANS:CFA FIELD
2453	INVALID FORMAT FOR THE TRANS:CFA FIELD
2455	THE 'A' LOCATION OF THE TRANS:CFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
2456	THE 'Z' LOCATION OF THE TRANS:CFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
2460	THE TRANS:SSS FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N' OR 'C' AND THE ASR:BSA FIELD IS POPULATED
2461	THE TRANS:ATN FIELD IS REQUIRED WHEN THE TRANS:SSS FIELD IS POPULATED
2462	THE ASR:RPON FIELD IS REQUIRED WHEN THE TRANS:ATN FIELD IS 'N'
2463	INVALID FORMAT FOR THE TRANS:SCFA FIELD
2464	INVALID FORMAT FOR THE TRANS:SCFA FIELD
2466	THE 'A' LOCATION OF THE SCFA FIELD IS NOT FOUND IN THE LOCATION TABLE
2467	THE 'Z' LOCATION OF THE TRANS:SCFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
2468	THE TRANS:MUXLOC FIELD SHOULD BE 8 OR 11 CHARACTER CLI CODE
2469	THE TRANS:MUXLOC FIELD WAS NOT FOUND IN THE LOCATION TABLE
2471	THE LENGTH OF THE TRANS:PRIADM FIELD MUST BE 8 OR 11 ALPHANUMERICS
2472	THE TRANS:PRIADM FIELD WAS NOT FOUND IN THE LOCATION TABLE
2474	THE LENGTH OF THE TRANS:SECADM FIELD MUST BE 8 OR 11 ALPHANUMERICS
2475	THE TRANS:SECADM FIELD WAS NOT FOUND IN THE LOCATION TABLE
2476	THE TRANS:CLK FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'V'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
2478	THE TRANS:NVC FIELD IS REQUIRED WHEN THE ASR:RQTYP (1) FIELD IS 'V'; AND THE VC FORM IS POPULATED
2479	THE TRANS:NVC FIELD IS PROHIBITED IF THE ASR:RQTYP (1) FIELD IS NOT 'V'; OR THE VC FORM IS NOT POPULATED
2481	THE TRANS:PSPEED FIELD IS PROHIBITED WHEN THE ASR:RQTYP(1) FIELD IS 'S'
2482	THE TRANS:PSPEED FIELD IS PROHIBITED WHEN THE ASR:RQTYP(1) FIELD IS 'V' AND THE ASR:ACT FIELD IS 'M' OR 'T'
2484	THE TRANS:LMP FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'V' AND THE ASR:ACT FIELD IS 'N'
2485	THE TRANS:LMP FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'V' AND THE ASR:ACT FIELD IS 'C', 'D', 'N' OR 'R'
2487	THE TRANS:NU FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'V' AND THE ASR:ACT FIELD IS 'N'
2488	THE TRANS:NU FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'V' AND THE ASR:ACT FIELD IS 'C', 'D', 'N' OR 'R'
2491	THE TRANS:ZLG FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'V' AND THE ASR:ACT FIELD IS 'C', 'D', 'N' OR 'R'
2492	THE TRANS:BSC FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'V'
2493	THE TRANS:BSC FIELD IS PROHIBITED UNLESS THE TRANS:RQTYP(1) FIELD IS 'V'
2497	THE TRANS:SECLOC FIELD IS REQUIRED WHEN THE ASR:RQTYP (1) FIELD IS 'S'; AND THE ASR:ACT FIELD IS 'N', 'C', 'M', OR 'T'; AND THE TRANS:NSL FIELD IS NOT POPULATED
2498	THE TRANS:SECLOC FIELD IS PROHIBITED WHEN THE TRANS:NSL FIELD IS POPULATED
2500	THE TRANS:SECLOC (POSITIONS 2-12) FIELD WAS NOT FOUND IN THE LOCATION TABLE
2502	INVALID FORMAT FOR THE TRANS:ISDNSEQ FIELD
2503	INVALID FORMAT FOR THE TRANS:ISDNSEQ FIELD
2505	WHEN THE TRANS:SECLOC(1) FIELD IS 'C' FOLLOWED BY A CLLI CODE, THE SALI FORM IS PROHIBITED
2536	THE TRANS:CTXLSTNM FIELD IS PROHIBITED UNLESS THE TRANS:CTXTEL FIELD IS POPULATED
2537	THE TRANS:CTXLSTNM FIELD IS REQUIRED WHEN THE TRANS:CTXTEL FIELD IS POPULATED
2601	THE EUSA:CKLT FIELD IS REQUIRED FOR MULTIPOINT SERVICES WHEN THE ASR:ACT FIELD IS 'N' OR 'C'
2602	SECONDARY LOCATION INFORMATION IS PROHIBITED WHEN THE EUSA:CKLT FIELD IS POPULATED AND THE EUSA:NSL FIELD IS POPULATED
2603	THE EUSA:CKLT FIELD WAS NOT FOUND IN THE LOCATION TABLE
2604	THE LENGTH OF THE EUSA:MUXLOC FIELD MUST BE 8 OR 11 ALPHANUMERIC CHARACTERS
2605	THE EUSA:MUXLOC FIELD WAS NOT FOUND IN THE LOCATION TABLE
2606	THE EUSA:NSL FIELD IS REQUIRED WHEN MSL FORMS ARE PROVIDED
2607	THE EUSA:NSL FIELD IS PROHIBITED UNLESS MSL FORMS ARE PROVIDED
2610	EUSA REMARKS ARE REQUIRED TO SPECIFY REQUIREMENTS WHEN THE EUSA:PRI_GETO FIELD IS 'O'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
2612	EUSA:PRI_GBTV IS PROHIBITED WHEN THE EUSA:PRI_GETO IS BLANK, 'A', 'E', 'S', 'T', 'U', 'V', 'W', 'Y', or 'Z'
2614	THE EUSA:HVP FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D'
2616	THE EUSA:SR FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M'
2621	THE EUSA:SSS FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N' OR 'C' AND THE ASR:BSA FIELD IS POPULATED
2622	THE EUSA:ATN FIELD IS REQUIRED WHEN THE EUSA:SSS FIELD IS POPULATED
2623	THE ASR:RPN FIELD IS REQUIRED WHEN THE EUSA:ATN FIELD(1) IS 'N'
2625	THE EUSA:CTXLSTNM FIELD IS REQUIRED WHEN THE EUSA:CTXTEL FIELD IS POPULATED
2626	THE EUSA:CTXLSTNM FIELD IS PROHIBITED UNLESS THE EUSA:CTXTEL FIELD IS POPULATED
2627	THE EUSA:PRIADM FIELD IS PROHIBITED UNLESS THE ASR:FNT FIELD IS POPULATED AND THE ASR:ACT FIELD IS 'N', 'C' OR 'T'
2628	THE LENGTH OF THE EUSA:PRIADM FIELD MUST BE 8 OR 11 ALPHANUMERICS
2629	THE EUSA:PRIADM FIELD WAS NOT FOUND IN THE LOCATION TABLE
2630	THE EUSA:SECADM FIELD IS PROHIBITED UNLESS THE ASR:FNT FIELD IS POPULATED AND THE ASR:ACT FIELD IS 'N', 'C' OR 'T'
2631	THE LENGTH OF THE EUSA:SECADM FIELD MUST BE 8 OR 11 ALPHANUMERICS
2632	THE EUSA:SECADM FIELD WAS NOT FOUND IN THE LOCATION TABLE
2633	THE EUSA:CLK FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'X'
2635	THE EUSA:NVC FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'X' AND THE VC AGGREGATE IS POPULATED
2636	THE EUSA:NVC FIELD IS PROHIBITED UNLESS THE ASR:RQTYP (1) FIELD IS 'X' AND THE VC FORM IS POPULATED
2638	THE EUSA:PSPEED FIELD IS PROHIBITED WHEN THE ASR:RQTYP(1) FIELD IS 'E'
2639	THE EUSA:PSPEED FIELD IS PROHIBITED WHEN THE ASR:RQTYP(1) FIELD IS 'X' AND THE ASR:ACT FIELD IS 'M' OR 'T'
2641	THE EUSA:LMP FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) IS 'X' AND THE ASR:ACT FIELD IS 'N'
2642	THE EUSA:LMP FIELD IS PROHIBITED UNLESS THE ASR:RQTYP FIELD(1) IS 'X' AND THE ASR:ACT FIELD IS 'C', 'D', 'M', 'N', 'T' OR 'R'
2644	THE EUSA:NU FIELD IS REQUIRED WHEN THE ASR:RQTYP FIELD (1) IS 'X' AND THE ASR:ACT FIELD IS 'N'
2645	THE EUSA:NU FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'X' AND THE ASR:ACT FIELD IS 'C', 'D', 'M', 'N', 'T' OR 'R'
2647	THE EUSA:ZLG FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'X'
2651	THE EUSA:ISDNSEQ FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C' AND THE ASR:NOR FIELD IS GREATER THAN 0 AND ANY SPOT FIELD IS A CLLI CODE
2652	INVALID FORMAT FOR THE EUSA:ISDNSEQ FIELD - IF POSITIONS 1-2 ARE POPULATED, THEN POSITIONS 3-4 MUST ALSO BE POPULATED; IF POSITIONS 3-4 ARE POPULATED, THEN POSITIONS 1-2 MUST ALSO BE POPULATED

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
2654	THE EUSA:PRI_LOC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', 'M' OR 'T'
2656	POSITIONS 2 TO 12 OF THE EUSA:PRI_LOC FIELD WAS NOT FOUND IN THE LOCATION TABLE
2658	THE EUSA:PRI_TRF FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N', 'C', 'T' OR 'R'
2670	THE EUSA:PRI_NC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T'
2671	THE EUSA:PRI_NC FIELD WAS NOT FOUND IN THE NETWORK CHANNEL CODE TABLE
2672	THE EUSA:PRI_NCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T'
2674	THE EUSA:PRI_NCI FIELD WAS NOT FOUND IN THE NETWORK CHANNEL INTERFACE CODE TABLE
2690	POSITIONS 1 TO 6 OF THE EUSA:PRI_TLV ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND POSITION 8 OR 11 OF THE EUSA:PRI_NCI FIELD IS 'I'
2691	POSITIONS 1 TO 6 OF THE EUSA:PRI_TLV FIELD ARE PROHIBITED UNLESS POSITIONS 8 OR 11 OF THE EUSA:PRI_NCI FIELD IS 'I'
2692	POSITIONS 7 TO 12 OF THE EUSA:PRI_TLV ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND POSITION 9 OR 12 OF THE EUSA:PRI_NCI FIELD IS 'I'
2693	POSITIONS 7 TO 12 OF THE EUSA:PRI_TLV FIELD ARE PROHIBITED UNLESS POSITIONS 9 OR 12 OF THE EUSA:PRI_NCI FIELD IS 'I'
2694	INVALID FORMAT FOR THE EUSA:PRI_TLV FIELD
2695	THE EUSA:PRI_S25 FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N'
2700	INVALID FORMAT FOR THE EUSA:PRI_CFA FIELD
2701	INVALID FORMAT FOR THE EUSA:PRI_CFA FIELD
2703	THE 'A' LOCATION OF THE EUSA:PRI_CFA FIELD IS NOT FOUND IN THE LOCATION TABLE
2704	THE 'Z' LOCATION OF THE EUSA:PRI_CFA FIELD IS NOT FOUND IN THE LOCATION TABLE
2717	THE EUSA:SEC_LOC FIELD IS REQUIRED WHEN (THE ASR:RQTYP (1) FIELD IS 'E') AND (THE ASR:ACT FIELD IS 'N', 'C', 'M' OR 'T') AND NOT MULTIPOINT SERVICES
2718	THE EUSA:SEC_LOC FIELD IS PROHIBITED WHEN THE EUSA:NSL FIELD IS POPULATED
2720	THE EUSA:SEC_LOC (POSITIONS 2-12) FIELD WAS NOT FOUND IN THE LOCATION TABLE
2724	THE EUSA:SEC_GBTN FIELD IS PROHIBITED WHEN THE EUSA:SEC_GETO IS 'A', 'E', 'S', 'T', 'U', 'V', 'W', 'Y', 'Z' OR BLANK
2737	THE EUSA:SEC_NCI FIELD WAS NOT FOUND IN THE NETWORK CHANNEL INTERFACE CODE TABLE
2753	POSITIONS 1 TO 6 OF THE EUSA:SEC_TLV ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND POSITION 8 OR 11 OF THE EUSA:SEC_NCI FIELD IS 'I'
2754	POSITIONS 1 TO 6 OF THE EUSA:SEC_TLV FIELD ARE PROHIBITED UNLESS POSITIONS 8 OR 11 OF THE EUSA:SEC_NCI FIELD IS 'I'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
2755	POSITIONS 7 TO 12 OF THE EUSA:SEC_TLV ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND POSITION 9 OR 12 OF THE EUSA:SEC_NCI FIELD IS 'I'
2756	POSITIONS 7 TO 12 OF THE EUSA:SEC_TLV FIELD ARE PROHIBITED UNLESS POSITIONS 9 OR 12 OF THE EUSA:SEC_NCI FIELD IS 'I'
2757	INVALID FORMAT FOR THE EUSA:SEC_TLV FIELD
2758	THE EUSA:SEC_S25 FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' AND THE EUSA:NSL FIELD IS '0' OR NOT POPULATED
2759	THE EUSA:SEC_S25 FIELD IS PROHIBITED FOR MULTIPOINT SERVICE
2764	INVALID FORMAT FOR THE EUSA:SEC_CFA FIELD
2765	INVALID FORMAT FOR THE EUSA:SEC_CFA FIELD
2767	THE 'A' LOCATION OF THE EUSA:SEC_CFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
2768	THE 'Z' LOCATION OF THE EUSA:SEC_CFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
2780	INVALID FORMAT FOR THE EUSA:ISDNSEQ FIELD
2852	THE FGA:NC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C'
2853	THE FGA:NC FIELD WAS NOT FOUND IN THE NC TABLE
2854	THE FGA:NCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C'
2855	THE FGA:NCI FIELD MUST BE 5 TO 12 ALPHANUMERIC CHARACTERS
2856	THE FGA:NCI FIELD WAS NOT FOUND IN THE NETWORK CHANNEL INTERFACE CODE TABLE
2857	POSITIONS 1 TO 6 OF THE FGA:TLV FIELD ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C' AND POSITION 8 OR 11 OF THE FGA:NCI FIELD IS 'I'
2858	POSITIONS 1 TO 6 OF THE FGA:TLV FIELD ARE PROHIBITED UNLESS POSITIONS 8 OR 11 OF THE FGA:NCI FIELD IS 'I'
2859	POSITIONS 7 TO 12 OF THE FGA:TLV FIELD ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C' AND POSITION 9 OR 12 OF THE FGA:NCI FIELD IS 'I'
2860	POSITIONS 7 TO 12 OF THE FGA:TLV FIELD ARE PROHIBITED UNLESS POSITIONS 9 OR 12 OF THE FGA:NCI FIELD IS 'I'
2861	INVALID FORMAT FOR THE FGA:TLV FIELD
2862	THE FGA:DTTEL FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2864	THE FGA:PIC FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2865	THE FGA:SECTLV FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N' OR 'C'
2867	POSITIONS 1-6 OF THE FGA:EML FIELD ARE PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N' OR 'C'
2868	INVALID FORMAT FOR THE FGA:EML FIELD
2869	THE FGA:PRIADM FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N' OR 'C'
2870	THE LENGTH OF THE FGA:PRIADM FIELD MUST BE 8 OR 11 ALPHANUMERIC
2871	THE FGA:PRIADM FIELD WAS NOT FOUND IN THE LOCATION TABLE
2872	THE FGA:SECADM FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N' OR 'C'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
2873	THE LENGTH OF THE FGA:SECADM FIELD MUST BE 8 OR 11 ALPHANUMERIC
2874	THE FGA:SECADM FIELD WAS NOT FOUND IN THE LOCATION TABLE
2875	THE FGA:FPI FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D' OR 'M'
2877	THE FGA:LPIC FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D' OR 'M'
2878	THE FGA:CFA FIELD IS REQUIRED WHEN (THE ASR:ACT FIELD IS 'N' OR 'C') AND (THE ASR:LTP (1) FIELD IS 'E' OR 'F')
2879	INVALID FORMAT FOR THE FGA:CFA FIELD
2880	INVALID FORMAT FOR THE FGA:CFA FIELD
2882	THE 'A' LOCATION OF THE FGA:CFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
2883	THE 'Z' LOCATION OF THE FGA:CFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
2884	THE FGA:CPT FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2888	THE FGA:NC1 FIELD IS PROHIBITED UNLESS (THE ASR:LTP(1) FIELD IS 'D' OR 'E') AND (THE ASR:ACT FIELD IS 'N' OR 'C')
2889	THE FGA:NC1 FIELD WAS NOT FOUND IN THE NETWORK CHANNEL CODE TABLE
2890	THE FGA:CKR1 FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M' OR 'R'
2891	THE FGA:SCFA FIELD IS PROHIBITED UNLESS THE FGA:CFA FIELD IS POPULATED
2892	INVALID FORMAT FOR THE FGA:SCFA FIELD
2893	INVALID FORMAT FOR THE FGA:SCFA FIELD
2895	THE 'A' LOCATION OF THE FGA:SCFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
2896	THE 'Z' LOCATION OF THE FGA:SCFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
2897	THE LENGTH OF THE FGA:MUXLOC FIELD MUST BE 8 OR 11 ALPHANUMERIC CHARACTERS
2898	THE FGA:MUXLOC FIELD WAS NOT FOUND IN THE LOCATION TABLE
2899	THE FGA:RECCKT FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'D' AND THE ASR:LTP(1) FIELD IS 'D' OR 'E'
2900	THE FGA:RECCKT FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'D' AND THE ASR:LTP(1) FIELD IS 'D' OR 'E'
2903	THE FGA:SR FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M'
2905	THE FGA:DRL FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D' OR 'M'
2908	THE FGA:CAD FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C'
2909	THE FGA:CAD FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N' OR 'C'
2911	THE FGA:TBE FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C'
2912	THE FGA:TBE FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D' OR 'M'
2914	THE FGA:SCD FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2916	THE FGA:ASU FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2918	THE FGA:CFW FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
2920	THE FGA:CWG FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2922	THE FGA:CND FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2924	THE FGA:HWL FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2926	THE FGA:MWI FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2928	THE FGA:HNTYP FIELD IS REQUIRED WHEN (THE ASR:ACT FIELD IS 'N' OR 'C') AND (THE FGA:HPF OR FGA:QUE FIELD IS POPULATED)
2929	THE FGA:HNTYP FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2931	THE FGA:NHNI FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2933	THE FGA:QUE FIELD IS PROHIBITED WHEN THE FGA:HNTYP FIELD IS NOT POPULATED
2935	THE FGA:DID FIELD IS PROHIBITED UNLESS((THE ASR:ACT FIELD IS 'N' OR 'C') AND (THE ASR:BSA FIELD IS POPULATED))
2936	VALID ENTRIES FOR THE FIRST POSITION OF THE FGA:DID FIELD ARE 'Y' AND 'R' AND VALID ENTRIES FOR POSITIONS 2 TO 3 ARE 01 TO 99
2937	THE FGA:SPC FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2939	THE FGA:TWC FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2941	THE FGA:SMDI FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2943	THE FGA:MBA FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2945	THE FGA:IEX FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2947	THE FGA:RCF FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
2949	THE FGA:PDN FIELD IS REQUIRED WHEN (THE ASR:ACT FIELD IS 'N' OR 'C') AND (THE FGA:RCF FIELD IS 'Y')
2950	THE FGA:PDN FIELD IS REQUIRED WHEN (THE ASR:ACT FIELD IS 'N' OR 'C') AND (THE FGA:MBA FIELD IS 'C')
2951	THE FGA:PDN FIELD IS REQUIRED WHEN (THE ASR:ACT FIELD IS 'N' OR 'C') AND (THE FGA:HNTYP FIELD IS 'RO', 'CO' OR 'PO')
2952	THE FGA:PDN FIELD IS PROHIBITED UNLESS (THE ASR:ACT FIELD IS 'N' OR 'C' AND THE FGA:RCF FIELD IS 'Y') OR (THE ASR:ACT FIELD IS 'N' OR 'C' AND THE FGA:MBA FIELD IS 'C') OR (THE ASR:ACT FIELD IS 'N' OR 'C' AND THE FGA:HNTYP FIELD IS 'RO', 'CO', or 'PO') OR (THE ASR:ACT FIELD IS 'N' OR 'C' AND THE FGA:HWL FIELD IS 'A' OR 'B')
2955	THE FGA:HPF FIELD IS REQUIRED WHEN THE FGA:HNTYP FIELD IS 'PF', 'PO' OR 'CP'
2956	THE FGA:HPF FIELD IS PROHIBITED UNLESS THE FGA:HNTYP FIELD IS 'PF', 'PO' OR 'CP'
2958	THE FGA:SECLOC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
2959	THE FGA:SECLOC FIELD IS A CLLI CODE WHICH MUST BE 8 OR 11 CHARACTERS
2960	THE FGA:SECLOC FIELD WAS NOT FOUND IN THE LOCATION TABLE
2961	THE FGA:NSL FIELD IS REQUIRED WHEN THE MSL FORMS ARE PROVIDED
2962	THE FGA:NSL FIELD IS PROHIBITED UNLESS MSL FORMS ARE PROVIDED
2963	VALID VALUES FOR THE FGA:NSL FIELD ARE 00 - 99
2964	THE FGA:TNCTO FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'N' OR 'M'
2965	VALID ENTRIES ARE 'TBA' OR A 10 DIGIT NUMBER
2966	THE FGA:TNCPER FIELD IS PROHIBITED UNLESS THE FGA:TNCTO FIELD IS POPULATED
2969	THE FGA:EUCON FIELD IS REQUIRED WHEN THE FGA:GETO FIELD IS POPULATED
2970	THE FGA:EUCON FIELD IS REQUIRED WHEN THE FGA:DRL FIELD IS 'U'
2971	THE FGA:EUTEL FIELD IS REQUIRED WHEN THE FGA:EUCON FIELD IS IS POPULATED
2972	THE FGA:EUTEL FIELD IS PROHIBITED UNLESS THE FGA:EUCON FIELD IS POPULATED
2981	INVALID FORMAT FOR THE FGA:SECTLV FIELD
2982	INVALID FORMAT FOR THE FGA:SECTLV FIELD
2983	INVALID FORMAT FOR THE FGA:EML FIELD
2984	INVALID FORMAT FOR THE FGA:EML FIELD
3102	THE TRUNK:NC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C'
3103	THE TRUNK:NC FIELD WAS NOT FOUND IN THE NC TABLE
3104	THE TRUNK:NCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C'
3107	THE TRUNK:NCI FIELD WAS NOT FOUND IN THE NETWORK CHANNEL INTERFACE CODE TABLE
3108	POSITIONS 1-6 OF THE TRUNK:TLV FIELD ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C' AND POSITION 8 OR 11 OF THE TRUNK:NCI FIELD IS 'I';
3109	POSITIONS 1-6 OF THE TRUNK:TLV FIELD ARE PROHIBITED UNLESS POSITIONS 8 OR 11 OF THE TRUNK:NCI FIELD IS 'I';
3110	POSITIONS 7-12 OF THE TRUNK:TLV FIELD ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C' AND POSITION 9 OR 12 OF THE TRUNK:NCI FIELD IS 'I';
3111	POSITIONS 7-12 OF THE TRUNK:TLV FIELD ARE PROHIBITED UNLESS POSITIONS 9 OR 12 OF THE TRUNK:NCI FIELD IS 'I'
3112	INVALID FORMAT FOR TRUNK:TLV FIELD
3113	THE TRUNK:DFDLRD FIELD SHOULD BE IN CCYYMMDD FORMAT
3114	THE TRUNK:DDLDRD FIELD SHOULD BE IN CCYYMMDD FORMAT
3115	THE TRUNK:DFOC FIELD SHOULD BE IN CCYYMMDD FORMAT
3116	THE TRUNK:QACI FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'M' AND THE ASR:AFO(1) FIELD IS 'Y'
3128	THE TRUNK:CIC FIELD IS PROHIBITED ON REQUESTS FOR FGC AND CCS LINKS
3130	THE TRUNK:TRN_START FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'M' AND THE TRUNK:TCIC FIELD IS NOT POPULATED
3132	THE TRUNK:RECCKT1 FIELD IS REQUIRED WHEN DISCONNECTING SWITCHED ACCESS

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
3133	THE TRUNK:RECCKT1 FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M' OR 'R'
3134	THE TRUNK:RECCKT2 FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M' OR 'R'
3135	THE TRUNK:CFA FIELD IS REQUIRED WHEN (THE ASR:ACT FIELD IS 'N' OR 'C') AND (THE ASR:LTP (1) FIELD IS 'C', 'E', 'F', 'Q', 'R' OR 'L')
3136	INVALID FORMAT FOR THE TRUNK:CFA FIELD
3137	INVALID FORMAT FOR THE TRUNK:CFA FIELD
3139	THE 'A' LOCATION OF THE TRUNK:CFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
3140	THE 'Z' LOCATION OF THE TRUNK:CFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
3150	THE TRUNK:SCFA FIELD IS PROHIBITED UNLESS THE TRUNK:CFA FIELD IS POPULATED
3151	INVALID FORMAT FOR THE TRUNK:SCFA FIELD
3152	INVALID FORMAT FOR THE TRUNK:SCFA FIELD
3154	THE 'A' LOCATION OF THE TRUNK:SCFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
3155	THE 'Z' LOCATION OF THE TRUNK:SCFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
3156	THE TRUNK:HBAN FIELD IS REQUIRED WHEN (THE ASR:UNE FIELD IS NOT POPULATED), AND (THE ASR:ACT FIELD IS 'N') AND (THE ASR:LTP (1) FIELD IS 'B', 'D', 'E', 'F', 'L', 'M', 'P', 'Q' OR 'R')
3157	THE TRUNK:FACTL FIELD IS REQUIRED WHEN THE TRUNK:NC1 FIELD IS POPULATED
3158	THE TRUNK:FACTL FIELD IS PROHIBITED UNLESS THE TRUNK:NC1 FIELD IS POPULATED
3159	THE TRUNK:FACTL FIELD WAS NOT FOUND IN THE LOCATION TABLE
3160	THE TRUNK:CSPC FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'L'
3161	THE TRUNK:CSPC FIELD IS REQUIRED FOR CCS TRUNK REQUESTS
3162	THE TRUNK:CSPC FIELD PROHIBITED UNLESS A CCS LINKS OR CCS TRUNK REQUESTS
3164	THE TRUNK:NS FIELD IS PROHIBITED UNLESS THE TRUNK:TCIC FIELD IS POPULATED
3165	THE TRUNK:NS FIELD IS REQUIRED WHEN THE LAST TWO POSITIONS OF THE TRUNK:TCIC FIELD EQUALS '97', '98', '99' OR '00'
3167	THE TRUNK:LT FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'L'
3168	THE TRUNK:LT FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'L'
3170	THE TRUNK:SLC FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'L'
3171	THE TRUNK:SLC FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'L'
3175	THE TRUNK:NC1 FIELD WAS NOT FOUND IN THE NETWORK CHANNEL CODE TABLE
3177	THE LENGTH OF THE TRUNK:MUXLOC FIELD MUST BE 8 OR 11 ALPHANUMERIC CHARACTERS
3178	THE TRUNK:MUXLOC FIELD WAS NOT FOUND IN THE LOCATION TABLE
3180	THE TRUNK:SSPC FIELD IS REQUIRED WHEN THE TRUNK:PCACT FIELD IS POPULATED

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
3181	THE TRUNK:SSPC FIELD IS PROHIBITED UNLESS THE TRUNK:PCACT FIELD IS POPULATED
3183	THE TRUNK:PCU FIELD IS REQUIRED WHEN THE TRUNK:SSPC FIELD IS POPULATED
3184	THE TRUNK:PCU FIELD IS PROHIITED UNLESS THE TRUNK:SSPC FIELD IS POPULATED
3185	INVALID FORMAT FOR THE TRUNK:PCU FIELD
3186	THE TRUNK:SPTYP FIELD IS REQUIRED WHEN THE TRUNK:SSPC FIELD IS POPULATED
3187	THE TRUNK:SPTYP FIELD IS PROHIITED UNLESS THE TRUNK:SSPC FIELD IS POPULATED
3190	INVALID CLLI CODE IN THE TRUNK:PSAP FIELD
3191	THE TRUNK:PSAP'S LOCATION FIELD WAS NOT FOUND IN THE LOCATION TABLE
3192	THE TRUNK:PRIADM FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N' OR 'C'
3193	THE LENGTH OF THE TRUNK:PRIADM FIELD MUST BE 8 OR 11 ALPHANUMERIC
3194	THE TRUNK:PRIADM FIELD WAS NOT FOUND IN THE LOCATION TABLE
3196	THE LENGTH OF THE TRUNK:SECADM FIELD MUST BE 8 OR 11 ALPHANUMERIC
3197	THE TRUNK:SECADM FIELD WAS NOT FOUND IN THE LOCATION TABLE
3199	THE TRUNK:SR FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M'
3202	THE TRUNK:MBA FIELD IS PROHIBITED UNLESS (A FGB REQUIRES AND THE ASR:ACT IS 'C' OR 'N') OR (A FGD REQUEST, THE ASR:ACT FIELD IS 'C' OR 'N' AND ASR:BSA FIELD IS POPULATED)
3203	THE TRUNK:OPS FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N' OR 'C'
3206	THE TRUNK:GETO FIELD IS PROHIBITED UNLESS A FGB REQUEST AND THE ASR:ACT FIELD IS 'N' OR 'C'
3208	THE TRUNK:WAC FIELD IS PROHIBITED UNLESS (A FGB OR FGD REQUEST) AND (THE ASR:ACT FIELD IS 'N' OR 'C', OR 'R')
3210	THE TRUNK:CDND FIELD IS PROHIBITED UNLESS (THE ASR:ACT FIELD IS 'N' OR 'C') AND (THE ASR:BSA FIELD IS POPULATED)
3212	THE TRUNK:DIDQ FIELD IS PROHIBITED UNLESS (THE ASR:ACT FIELD IS 'N' OR 'C') AND (THE ASR:BSA FIELD IS POPULATED)
3214	THE TRUNK:PCACT FIELD IS PROHIBITED UNLESS (THE FIRST POSITION OF THE ASR:RQTYP FIELD IS 'L') AND (THE ASR:ACT FIELD IS 'N' OR 'C')
3215	THE TRUNK:ALTRO FIELD IS PROHIBITED UNLESS THE ASR:RQTYP (1) FIELD IS 'M' AND THE ASR:ACT FIELD IS 'N' OR 'C';
3217	THE TRUNK:FGD950 FIELD IS PROHIBITED UNLESS A FGD REQUEST AND THE ASR:ACT FIELD IS 'N' OR 'C'
3218	INVALID SERVICE PREFIX OR SERVICE CLASS IN THE TRUNK:SCRT FIELD
3219	THE TRUNK:SCRT FIELD IS PROHIBITED UNLESS A FGC REQUEST AND THE ASR:ACT FIELD IS 'N' OR 'C'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
3220	THE VALID ENTRIES FOR THE TRUNK:CHOK FIELD ARE 1 TO 999 OR 'R'
3221	THE TRUNK:CHOK FIELD IS PROHIBITED UNLESS (A FGC OR FGD REQUEST) AND (THE ASR:ACT FIELD IS 'N' OR 'C')
3222	THE VALID ENTRIES FOR THE TRUNK:CGAP FIELD ARE 1 TO 999 OR 'R'
3223	THE TRUNK:CGAP FIELD IS PROHIBITED UNLESS A FGD REQUEST AND THE ASR:ACT FIELD IS 'N' OR 'C'
3225	THE TRUNK:SECLOC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N'
3226	THE TRUNK:SECLOC FIELD IS A CLLI CODE WHICH MUST BE 11 CHARACTERS
3227	THE TRUNK:SECLOC FIELD WAS NOT FOUND IN THE LOCATION TABLE
3229	THE TRUNK:DNPANXX FIELD IS PROHIBITED UNLESS THE ASR:RQTYP FIELD(1) IS 'M' AND THE ASR:ACT FIELD IS 'N' OR 'C'
3230	VALID ENTRIES FOR THE TRUNK:DFDLRD FIELD ARE THE CURRENT SYSTEM DATE OR A FUTURE DATE
3231	THE TRUNK:DFDLRD DATE FALLS ON A HOLIDAY
3232	THE FGBCD:DFDLRD DATE FALLS ON A WEEKEND
3233	VALID ENTRIES FOR THE TRUNK:DDLRD FIELD ARE THE CURRENT SYSTEM DATE OR A FUTURE DATE
3234	THE TRUNK:DDLRD DATE FALLS ON A HOLIDAY
3235	THE TRUNK:DDLRD DATE FALLS ON A WEEKEND
3236	VALID ENTRIES FOR THE TRUNK:DFOC FIELD ARE THE CURRENT SYSTEM DATE OR A FUTURE DATE
3237	THE TRUNK:DFOC DATE FALLS ON A HOLIDAY
3238	THE TRUNK:DFOC DATE FALLS ON A WEEKEND
3239	POSITIONS 7 TO 12 OF THE TRUNK:SECTLV FIELD ARE PROHIBITED
3241	INVALID FORMAT FOR THE TRUNK:SECTLV FIELD
3243	INVALID FORMAT FOR THE TRUNK:EML FIELD
3244	INVALID FORMAT FOR THE TRUNK:EML FIELD
3245	POSITIONS (1-5) MUST NOT BE GREATER THAN POSITIONS (6-10) FOR THE TRUNK:TCIC FIELD
3246	THE TRUNK:TRN_START FIELD IS REQUIRED WHEN THE TRUNK:TRN_END FIELD IS POPULATED
3248	THE TRUNK:TRN_START FIELD IS GREATER THAN THE TRUNK:TRN_END FIELD
4003	THE ACI:REFNUM FIELD IS REQUIRED
4004	THE REFNUM FIELD MUST BE CONSECUTIVELY ASSIGNED STARTING WITH '0002'
4005	THE ACI:CKTACT FIELD IS REQUIRED WHEN THE CIRCUIT QUANTITY IS DECREASING AND THE ASR:SUP FIELD IS '3' OR '4'
4006	THE ACI:CKTACT FIELD IS PROHIBITED UNLESS THE CIRCUIT QUANTITY IS DECREASING AND THE ASR:SUP FIELD IS '3' OR '4'
4008	THE ACI:CFA FIELD IS REQUIRED WHEN THE FGA:CFA, THE TRUNK:CFA, THE TRANS:CFA, OR THE EUSA:PRI_CFA FIELD IS POPULATED
4009	INVALID FORMAT FOR THE ACI:CFA FIELD
4010	INVALID FORMAT FOR THE ACI:CFA FIELD
4012	THE 'A' LOCATION OF THE ACI:CFA FIELD IS NOT FOUND IN THE LOCATION TABLE
4013	THE 'Z' LOCATION OF THE ACI:CFA FIELD IS NOT FOUND IN THE LOCATION TABLE

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
4016	ACI:HBAN FIELD IS REQUIRED WHEN THE SERVICE SPECIFIC HBAN IS POPULATED
4017	THE ACI:CKR1 FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M', 'T', OR 'R'
4018	INVALID FORMAT FOR THE ACI:SCFA FIELD
4019	INVALID FORMAT FOR THE ACI:SCFA FIELD
4021	THE 'A' LOCATION OF THE ACI:SCFA FIELD IS NOT FOUND IN THE LOCATION TABLE
4022	THE 'Z' LOCATION OF THE ACI:SCFA FIELD IS NOT FOUND IN THE LOCATION TABLE
4023	INVALID FORMAT FOR THE ACI:TCIC FIELD
4024	THE ACI:REN FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS "N", "C", OR "T"
4025	THE ACI:SEC_JKCD FIELD IS REQUIRED WHEN THE ACI:SEC_JS FIELD IS 'E' OR 'N'
4026	THE ACI:SEC_JKCD FIELD IS PROHIBITED UNLESS THE ACI:SEC_JS FIELD IS POPULATED
4029	THE ACI:JKNUM FIELD IS REQUIRED WHEN THE ACI:SEC_JKCD FIELD IS POPULATED
4030	THE ACI:JKNUM FIELD IS PROHIBITED UNLESS THE ACI:SEC_JKCD FIELD IS POPULATED
4031	THE ACI:JKPOS FIELD IS REQUIRED WHEN THE ACI:SEC_JKCD FIELD IS POPULATED
4032	THE ACI:JKPOS FIELD IS PROHIBITED UNLESS THE ACI:SEC_JKCD FIELD IS POPULATED
4037	THE ACI:NHNI FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'A' OR 'W' AND THE ASR:ACT FIELD IS 'N', 'C' OR 'T'
4039	THE ACI:NHN FIELD IS REQUIRED WHEN THE ACI:NHNI, WAL:NHNI OR FGA:NHNI FIELDS ARE POPULATED AND THE ASR:SUP FIELD IS '3'
4041	THE ACI:RORD FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'R'
4042	THE ACI:S25C FIELD IS PROHIBITED WHEN THE ASR:RQTYP (1) FIELD IS 'A', 'M', OR 'L'
4043	INVALID FORMAT FOR THE ACI:S25C FIELD
4044	THE ACI:ER FIELD IS PROHIBITED UNLESS THE ACI:S25C (1) FIELD IS 'A' OR 'B'
4046	THE ACI:ECCKT FIELD IS REQUIRED WHEN THE ASR:ECCKT FIELD IS POPULATED
4047	THE ACI:TRN_START FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1)FIELD IS 'M' AND THE ACI:TCIC FIELD IS NOT POPULATED
4049	THE ACI:PRI_JKCD FIELD IS REQUIRED WHEN THE ACI:PRI_JS FIELD IS 'E' OR 'N'
4050	THE ACI:PRI_JKCD FIELD IS PROHIBITED UNLESS THE ACI:PRI_JS FIELD IS POPULATED
4058	ACI:PRI_SMJK ONLY PERMITTED WHEN THE FIRST CHARACTER OF THE ASR:RQTYP(1) IS 'E' OR 'X';
4061	INVALID FORMAT FOR THE ACI:ISDSEQ FIELD
4064	THE ACI:CRO1 FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'R'
4065	THE ACI:CRO2 FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'R'
4067	THE ACI:TRN_START FIELD IS REQUIRED WHEN THE ACI:TRN_END FIELD IS POPULATED

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
4069	THE ACI:TRN_START FIELD IS GREATER THAN THE ACI:TRN_END FIELD
4102	THE MULTIEC:CO_ICSC FIELD IS REQUIRED
4103	THE MULTIEC:CO_ICSC FIELD MUST BE THE SAME AS THE ASR:ASCEC FIELD
4104	THE MULTIEC:CO_ICSC FIELD WAS NOT FOUND IN THE ICSC TABLE
4105	THE MULTIEC:CO_BAN FIELD IS REQUIRED
4106	THE MULTIEC:CO_HBAN FIELD IS REQUIRED WHEN THE TRANS:HBAN, FGA:HBAN OR TRUNK:HBAN FIELD IS POPULATED
4110	THE MULTIEC:OEC_ICSC FIELD IS REQUIRED
4111	THE MULTIEC:OEC_ICSC FIELD WAS NOT FOUND IN THE ICSC TABLE
4112	THE OEC_ACT FIELD IS PROHIBITED UNLESS THE ASR:ASCEC FIELD IS POPULATED
4114	THE MULTIEC:OEC_BAN FIELD IS REQUIRED
4118	THE TQ:TECHTEL FIELD IS REQUIRED WHEN THE TQ:TECHCON FIELD IS POPULATED
4119	THE TQ:TECHTEL FIELD IS PROHIBITED UNLESS THE TQ:TECHCON FIELD IS POPULATED
4123	UP TO 2 LINES CAN BE SPECIFIED FOR FGB REQUESTS
4127	THE TQ:TGACT FIELD IS REQUIRED WHEN THE ASR:TQ(1) FIELD IS 'B', 'U', 'D', 'T', 'L', 'W', 'M' OR 'X'
4128	THE TQ:TGACT FIELD IS PROHIBITED UNLESS THE ASR:TQ(1) FIELD IS 'B', 'U', 'D', 'T', 'L', 'W', 'M' OR 'X'
4134	THE TQ:TGTYP FIELD IS REQUIRED WHEN THE TQ:TGACT FIELD IS 'N', 'C', 'D', 'R', 'F' OR 'K'
4135	THE TQ:TGTYP FIELD IS PROHIBITED UNLESS THE TQ:TGACT FIELD IS 'N', 'C', 'D', 'R', 'F', 'K' OR 'M'
4137	THE TQ:TGTSC FIELD IS REQUIRED WHEN THE TQ:TGACT FIELD IS 'R', 'F', 'C', 'D', 'E' OR 'M'
4138	THE TQ:TGTSC FIELD IS PROHIBITED UNLESS THE TQ:TGACT FIELD IS POPULATED
4139	THE TQ:APON FIELD IS PROHIBITED WHEN THE TQ:TGACT FIELD IS 'A', 'Z', OR NOT POPULATED
4140	THE TQ:DIR FIELD IS REQUIRED WHEN THE TQ:TGACT FIELD IS 'N'
4141	THE TQ:DIR FIELD IS PROHIBITED WHEN THE TQ:TGACT FIELD IS 'E' OR 'Z'
4143	THE TQ:ANI FIELD IS PROHIBITED UNLESS (((THE FIRST POSITION OF THE ASR:TQ FIELD IS 'B' OR 'U') AND (THE TQ:TGTYP FIELD IS 'A', 'C', 'E' OR 'H') AND (THE TQ:DIR FIELD IS NOT '1T' OR '2T')) OR ((THE FIRST POSITION OF THE ASR:TQ FIELD IS 'D' OR 'T') AND (THE TQ:DIR FIELD IS NOT '1T' OR '2T')) OR (((THE FIRST POSITION OF THE ASR:TQ FIELD IS 'B' OR 'U') AND (THE TQ:TGTYP FIELD IS 'A', 'C', 'E' OR 'H') AND (THE TQ:TQACT FIELD IS 'C' OR 'F') AND (THE TQ:DIR FIELD IS '1T' OR '2T')) OR ((THE FIRST POSITION OF THE ASR:TQ FIELD IS 'D' OR 'T') AND (THE TQ:DIR FIELD IS '1T' OR '2T') AND (THE TQ:TQACT FIELD IS 'C' OR 'F'))))
4145	THE VALID ENTRY FOR THE TQ:ANI FIELD IS 'S' WHEN THE TQ:DIR FIELD IS '1T' OR '2T'
4146	THE TQ:DAACC FIELD IS PROHIBITED UNLESS (((THE ASR:CC FIELD IS BLANK) AND (THE TQ:DIR FIELD IS '1T', '2T', OR '2W') AND (THE TQ:TGTYP FIELD IS 'B', 'D', 'F' OR 'G')) OR ((THE ASR:CC FIELD IS BLANK) AND (THE TQ:DIR FIELD IS '1O' OR '2O') AND (THE TQ:TGACT FIELD IS 'C', 'F', OR 'K') AND (THE TQ:TGTYP FIELD IS 'B', 'D', 'F', OR 'G'))))

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
4148	THE TQ:TKSEQ FIELD IS REQUIRED WHEN THE TQ:TGACT FIELD IS 'N' AND THE TQ:DIR FIELD IS '2W', '2O' OR '2T'
4149	THE TQ:TKSEQ FIELD IS PROHIBITED WHEN THE TQ:TGACT FIELD IS 'E' OR 'Z'
4151	THE TQ:TESTANI FIELD IS PROHIBITED WHEN THE TQ:TGACT FIELD IS 'E' OR 'Z'
4156	THE TQ:TKSIG FIELD MAY NOT BE 'TC' OR 'TA' WHEN THE TQ:TGTYP FIELD IS 'B', 'D', 'F' OR 'G'
4157	THE TQ:SACNON FIELD IS PROHIBITED WHEN THE TQ:TGACT FIELD IS 'E' OR 'Z'
4158	THE VALID ENTRIES OR THE TQ:SACNON FIELD ARE 'Y' AND 'R'
4162	THE TQ:OVLP FIELD IS PROHIBITED WHEN THE TQ:TKSIG FIELD IS 'EC' OR 'OC'
4176	THE TQ:FACTAR FIELD IS REQUIRED WHEN THE TQ:ALTREF FIELD IS POPULATED
4177	THE TQ:FACTAR FIELD IS PROHIBITED UNLESS THE TQ:ALTREF FIELD IS POPULATED
4179	THE TQ:ALTREF FIELD IS REQUIRED WHEN THE TQ:TGTYP FIELD IS 'A', 'B', 'C' OR 'D' AND THE TQ:TGACT FIELD IS 'N', 'C', 'F' OR 'M'
4181	THE TQ:FA950 FIELD IS REQUIRED WHEN THE '950-XXXX' FIELD IS POPULATED
4182	THE TQ:FA950 FIELD IS PROHIBITED UNLESS THE '950-XXXX' FIELD IS POPULATED
4184	THE TQ:XXXX FIELD IS REQUIRED WHEN THE ASR:TQ(1) FIELD IS 'B' OR 'U' AND THE TQ:TGACT FIELD IS 'N'
4185	THE TQ:XXXX FIELD IS PROHIBITED WHEN THE TQ:TGACT FIELD IS 'E'
4187	THE TQ:BRAND FIELD IS PROHIBITED UNLESS THE TRUNK:TRFTYP FIELD IS 'DA', 'DC', 'NA', 'ND', OR 'OP'
4189	THE TQ:ANNC FIELD IS REQUIRED WHEN THE TQ:BRAND(1) FIELD IS 'Y' OR 'C' AND TQ:BRAND(2) IS BLANK
4197	THE TQ:CIC FIELD IS REQUIRED WHEN (THE ASR:TQ(1)FIELD IS 'D' OR 'T') AND (ANY TQ:TGACT FIELD IS NOT 'F', 'K' OR 'D')
4198	THE TQ:CIC FIELD AND THE TRUNK:CIC FIELD WHEN POPULATED SHOULD BE EQUAL
4201	THE TQ:ACIC FIELD SHOULD BE NUMERIC
4202	THE TQ:CCLASS FIELD IS REQUIRED WHEN (THE ASR:TQ (1) FIELD IS 'D' OR 'T') AND (ANY TQ:TGACT FIELD IS NOT 'F', 'K', OR 'D')
4204	THE TQ:RMK FIELD MUST BE POPULATED WHEN THE TQ:CCLASS FIELD EQUALS 'IC'
4211	THE TQ:COINEA FIELD IS REQUIRED WHEN THE ASR:TQ(1) FIELD IS 'D' OR 'T' AND ANY TQ:TGACT FIELD IS NOT 'F', 'K' OR 'D'
4213	THE TQ:ATP FIELD IS PROHIBITED UNLESS FOR CCS TRUNKS
4220	THE TQ:GLARE FIELD IS REQUIRED WHEN THE TQ:TKSEQ FIELD IS POPULATED
4221	THE TQ:GLARE FIELD IS PROHIBITED UNLESS THE TQ:TKSEQ FIELD IS POPULATED
4232	THE VALID ENTRIES FOR COLUMN A OF THE TQ ROUTING EXCEPTION MATRIX ARE '00 TO 99'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
4240	THE TQ:SAC_CIC FIELD IS REQUIRED WHEN THE ASR:TQ(1) FIELD IS 'S', 'U' OR 'T'
4241	THE TQ:SAC_CIC FIELD IS PROHIBITED UNLESS THE ASR:TQ(1) FIELD IS 'S', 'U' OR 'T'
4242	THE TQ:SAC_CIC FIELD AND THE TRUNK:CIC FIELD WHEN POPULATED SHOULD BE EQUAL
4245	THE FIRST POSITION OF THE TQ:ORDLEV FIELD SHOULD BE 'A', 'B', 'C' OR 'D'
4246	INVALID FORMAT FOR THE TQ:ORDLEV FIELD
4247	INVALID FORMAT FOR THE TQ:ORDLEV FIELD
4248	POSITIONS (2-12) OF THE TQ:ORDLEV FIELD IS NOT A VALID CLLI CODE
4249	POSITIONS (2-12) OF THE TQ:ORDLEV FIELD IS NOT A VALID CLLI CODE
4250	THE TQ:_00Y FIELD IS REQUIRED WHEN EITHER 'SAC ACT' FIELD IS POPULATED
4252	THE TQ:TESTANI FIELD IS PROHIBITED UNLESS EITHER 'TEST TN' FIELD IS POPULATED
4254	THE TQ:SAC_TCHCON FIELD IS REQUIRED WHEN THE ASR:TQ(1) FIELD IS 'S'
4255	THE TQ:SAC_TCHCON FIELD IS PROHIBITED UNLESS THE ASR:TQ(1) FIELD IS 'S', 'U' OR 'T'
4256	THE TQ:SAC_TCHTEL FIELD IS REQUIRED WHEN THE TQ:SAC_TCHCON FIELD IS POPULATED
4257	THE TQ:SAC_TCHTEL FIELD IS PROHIBITED UNLESS THE TQ:SAC_TCHCON FIELD IS POPULATED
4260	THE TQ:SAC1_ACT FIELD IS REQUIRED WHEN THE ASR:TQ(1) FIELD IS 'S', 'U' OR 'T'
4261	THE TQ:SAC1_ACT FIELD IS PROHIBITED UNLESS THE ASR:TQ(1) FIELD IS 'S', 'U' OR 'T'
4263	THE TQ:SAC1_ACT FIELD MAY NOT BE 'K' ON INITIAL SUBMISSIONS
4264	THE TQ:SAC1_APON FIELD IS PROHIBITED UNLESS THE TQ:SAC1_ACT FIELD IS POPULATED
4265	THE TQ:SAC1_TESTTN FIELD IS REQUIRED WHEN THE TQ:SAC1_ACT(1) IS 'A' OR 'N'
4266	THE TQ:SAC1_TESTTN FIELD IS PROHIBITED UNLESS THE TQ:SAC1_ACT(1) IS 'N', 'A', 'Y' OR 'K'
4267	THE TQ:SAC1_TESTTN FIELD SHOULD BE THE LAST 4 DIGITS OF THE TEST TELEPHONE NUMBER
4269	THE TQ:NXX1 FIELD IS REQUIRED WHEN THE SAC1_ACT(1) IS 'N', 'A', 'R' OR 'D'
4270	THE TQ:NXX1 FIELD IS PROHIBITED UNLESS THE SAC1_ACT(1) IS 'N', 'A', 'R', 'D' OR 'K'
4272	THE TQ:SAC1_TRESP FIELD IS REQUIRED WHEN THE TQ:SAC1_TESTTN FIELD IS POPULATED
4273	THE TQ:SAC1_TRESP FIELD IS PROHIBITED UNLESS THE TQ:SAC1_TESTTN FIELD IS POPULATED
4275	THE TQ:SAC2_ACT FIELD IS REQUIRED WHEN THE ASR:TQ(1) FIELD IS 'S', 'U' OR 'T'
4276	THE TQ:SAC2_ACT FIELD IS PROHIBITED UNLESS THE ASR:TQ(1) FIELD IS 'S', 'U' OR 'T'
4278	THE TQ:SAC2_ACT FIEL DMAY NOT BE 'K' ON INITIAL SUBMISSIONS

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
4279	THE TQ:SAC2_APON FIELD IS PROHIBITED UNLESS THE TQ:SAC2_ACT FIELD IS POPULATED
4280	THE TQ:SAC2_TESTTN FIELD IS REQUIRED WHEN THE TQ:SAC2_ACT(1) IS 'A' OR 'N'
4281	THE TQ:SAC2_TESTTN FIELD IS PROHIBITED UNLESS THE TQ:SAC2_ACT(1) IS 'N', 'A', 'Y' OR 'K'
4282	THE TQ:SAC2_TESTTN FIELD SHOULD BE THE LAST 4 DIGITS OF THE TEST TELEPHONE NUMBER
4284	THE TQ:NXX2 FIELD IS REQUIRED WHEN THE TQ:SAC2_ACT (1) IS 'N', 'A', 'R', OR 'D'
4285	THE TQ:NXX2 FIELD IS PROHIBITED UNLESS THE TQ:SAC2_ACT(1) IS 'N', 'A', 'R', 'D', OR 'K'
4287	THE TQ:SAC2_TRESP FIELD IS REQUIRED WHEN THE TQ:SAC2_TESTTN FIELD IS POPULATED
4288	THE TQ:SAC2_TRESP FIELD IS PROHIBITED UNLESS THE TQ:SAC2_TESTTN FIELD IS POPULATED
4301	THE EOD FORM IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'M'
4303	THE EOD:EOUSE FIELD IS REQUIRED
4304	THE EOD:EOUSE FIELD ENTRY OF 'A' IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'R'
4305	THE EOD:EOUSE FIELD ENTRY OF 'B' IS PROHIBITED UNLESS THE TQ:SAC1_ACT(1) FIELD OR TQ:SAC2_ACT(1) FIELD IS 'N' OR 'A'
4307	THE EOD:TKQTY FIELD IS PROHIBITED UNLESS THE EOD:EOUSE FIELD IS 'A', 'C', OR 'D'
4310	INVALID FORMAT FOR THE EOD:ACCTDM FIELD - NOT A TANDEM OFFICE CLLI CODE
4311	THE EOD:ACCTDM FIELD WAS NOT FOUND IN THE LOCATION TABLE
4312	THE EOD:ORIGTRF FIELD IS REQUIRED WHEN THE EOD:EOUSE FIELD IS 'A' OR 'D'
4313	THE EOD:ORIGTRF FIELD IS PROHIBITED UNLESS THE EOD:EOUSE FIELD IS 'A' OR 'D'
4315	THE EOD:TERMTRF FIELD IS REQUIRED WHEN THE EOD:EOUSE FIELD IS 'A' OR 'D'
4316	THE EOD:TERMTRF FIELD IS PROHIBITED UNLESS THE EOD:EOUSE FIELD IS 'A' OR 'D'
4318	THE EOD:UNITS FIELD IS REQUIRED WHEN THE EOD:EOUSE FIELD IS 'A', 'C' OR 'D'
4319	THE EOD:UNITS FIELD IS PROHIBITED UNLESS THE EOD:EOUSE FIELD IS 'A', 'C', OR 'D'
4320	THE EOD:TRFTYP FIELD IS REQUIRED WHEN THE EOD:EOUSE FIELD IS 'A', 'C' OR 'D' AND THE EOD:TSC FIELD IS NOT POPULATED
4322	THE EOD:TRFTYP FIELD AND TRUNK:TRFTYP FIELDS SHOULD BE IDENTICAL
4323	THE EOD:TSC FIELD IS REQUIRED WHEN THE EOD:EOUSE FIELD IS 'B' AND THE EOD:ACCTDM FIELD IS POPULATED
4326	THE EOD:EOACT FIELD IS PROHIBITED WHEN THE EOD:EOUSE FIELD IS 'A'
4327	THE ENTRY OF 'C' IS PROHIBITED FOR THE EOD:EOACT FIELD WHEN THE EOD:EOUSE FIELD IS 'B', OR 'C'
4328	VALID ENTRY OF 'K' IS PROHIBITED ON ALL OCCURRENCES OF THE EOD:EOACT FIELD

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
4331	THE EOD:EO FIELD IS REQUIRED
4332	THE VALID ENTRIES FOR THE EOD:EO FIELD ARE EITHER 'ALL' OR AN 8 OR 11 CHARACTER CLLI CODE
4333	THE EOD:EO FIELD WAS NOT FOUND IN THE LOCATION TABLE
4334	THE 'ALL' ENTRY IS PROHIBITED UNLESS ORDERING TRANSLATION AT THE TANDEM LEVEL
4335	THE EOD:ORIG FIELD IS REQUIRED WHEN (THE EOD:EOUSE FIELD IS 'A', 'C', OR 'D') AND (THE FIRST TWO CHARACTERS OF THE EOD:TRFTYP FIELD ARE 'OT', 'OP', 'ID', 'DA', 'DD', '50', '80', '90', 'PO', 'C0', 'C1' OR 'IO')
4336	THE EOD:ORIG FIELD IS PROHIBITED UNLESS (THE EOD:EOUSE FIELD IS 'A', 'C' OR 'D') AND (THE FIRST TWO CHARACTERS OF EOD:TRFTYP FIELD ARE 'OT', 'OP', 'ID', 'DA', 'DD', '50', '80', '90', 'PO', 'C0', 'C1' OR 'IO')
4337	INVALID FORMAT FOR THE EOD:ORIG FIELD
4338	THE EOD:TERM FIELD IS REQUIRED WHEN (THE EOD:EOUSE FIELD IS 'A' OR 'D') AND (THE LAST TWO CHARACTERS OF THE EOD:TRFTYP FIELD IS 'TT')
4339	INVALID FORMAT FOR THE EOD:TERM FIELD
4340	THE EOD:EO_TSC FIELD IS REQUIRED WHEN THE EOD:EOUSE FIELD IS 'B', THE EOD:EO FIELD IS POPULATED AND THE EOD:TSC FIELD IS NOT POPULATED
4341	THE EOD:EO_TSC FIELD IS PROHIBITED UNLESS THE EOD:EO FIELD IS POPULATED
4342	THE EOD:ANI FIELD IS REQUIRED WHEN ANY OF THE OCCURRENCES OF THE TQ:ANI FIELD IS 'X'
4343	THE EOD:ANI FIELD IS PROHIBITED UNLESS ANY OF THE OCCURRENCES OF THE TQ:ANI FIELD IS 'X'
5000	THE NUMBER OF OCCURRENCES OF THE MSL:CKT SECTION MUST NOT EXCEED 9998
5001	THE MSL:LEGACT FIELD IS REQUIRED
5002	VALID ENTRY OF 'K' IN THE MSL:LEGACT FIELD IS PROHIBITED ON THE INITIAL REQUEST
5003	THE MSL:LEGACT VALUE OF 'K' IS PROHIBITED ON ALL FORMS IN ONE REQUEST
5004	INVALID ACTIVITY COMBINATION - VALID ENTRIES FOR THE MSL:LEGACT FIELD ARE 'N' AND 'K' WHEN THE ASR:ACT FIELD IS 'N'
5005	INVALID ACTIVITY COMBINATION - VALID ENTRIES FOR THE MSL:LEGACT FIELD ARE 'N', 'C', 'D', 'M' AND 'K' WHEN THE ASR:ACT FIELD IS 'C'
5006	MSL FORMS ARE PROHIBITED WHEN THE ASR:ACT FIELD IS 'M'
5007	INVALID ACTIVITY COMBINATION - VALID ENTRY FOR THE MSL:LEGACT FIELD IS 'D' WHEN THE ASR:ACT FIELD IS 'D'
5008	INVALID ACTIVITY COMBINATION - VALID ENTRY FOR THE MSL:LEGACT FIELD IS 'R' WHEN THE ASR:ACT FIELD IS 'R'
5009	MSL FORMS ARE PROHIBITED WHEN THE ASR:ACT FIELD IS 'T'
5011	THE MSL:CKLT FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'S' OR 'E' AND THE MSL:LEGACT IS 'N', 'C' OR 'M'
5012	THE MSL:CKLT FIELD WAS NOT FOUND IN THE LOCATION TABLE
5013	THE MSL:SEG FIELD IS REQUIRED WHEN THE MSL:LEGACT FIELD IS 'C', 'D', 'M' OR 'K'
5014	THE MSL:SEG FIELD IS REQUIRED WHEN (THE MSL:LEGACT FIELD IS 'N') AND (THE ASR:SUP FIELD IS '2', OR '3')

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
5015	THE MSL:SEG FIELD IS PROHIBITED WHEN THE MSL:LEGACT FIELD IS 'N'; UNLESS THE ASR:SUP FIELD IS '1'; '2'; OR '3';
5019	THE MSL:ER FIELD IS PROHIBITED UNLESS THE MSL:S25C(1) IS 'A' OR 'B'
5025	THE MSL:TRF FIELD IS PROHIBITED UNLESS THE MSL:LEGACT FIELD IS 'N', 'C' OR 'R'
5027	THE MSL:ORD FIELD IS REQUIRED FOR SUPPLEMENTS WHEN A CONFIRMATION NOTIFICATION HAS BEEN RECEIVED
5028	MSL REMARKS ARE REQUIRED TO SPECIFY REQUIREMENTS WHEN THE MSL:GETO FIELD IS 'O'
5030	MSL:GBTN IS PROHIBITED WHEN THE MSL:GETO IS BLANK, 'A'; 'E'; 'S'; 'T'; 'U'; 'V'; 'W'; 'X'; 'Y';, or 'Z';
5032	THE MSL:NC FIELD IS REQUIRED WHEN THE MSL:LEGACT FIELD IS 'N' OR 'C'
5033	THE MSL:NC FIELD WAS NOT FOUND IN THE NETWORK CHANNEL CODE TABLE
5034	THE MSL:SECNCI FIELD IS REQUIRED WHEN THE MSL:LEGACT FIELD IS 'N' OR 'C' AND THE MSL:SECLOC FIELD IS NOT A CLLI CODE
5036	THE MSL:SECNCI FIELD WAS NOT FOUND IN THE NETWORK CHANNEL INTERFACE CODE TABLE
5039	POSITIONS 1 TO 6 OF THE MSL:SECTLV FIELD ARE REQUIRED WHEN THE MSL:LEGACT FIELD IS 'N' OR 'C' AND POSITION 8 OR 11 OF THE MSL:SECNCI FIELD IS 'I'
5040	POSITIONS 7 TO 12 OF THE MSL:SECTLV FIELD ARE REQUIRED WHEN THE MSL:LEGACT FIELD IS 'N' OR 'C' AND POSITION 9 OR 12 OF THE MSL:SECNCI FIELD IS 'I'
5041	THE MSL:SECTLV FIELD IS PROHIBITED UNLESS THE MSL:LEGACT FIELD IS 'N' OR 'C'
5042	THE MSL:SECTLV FIELD IS PROHIBITED UNLESS POSITION 8, 9, 11 OR 12 OF THE MSL:SECNCI FIELD IS 'I'
5043	INVALID FORMAT FOR THE MSL:SECTLV FIELD
5044	INVALID FORMAT FOR THE MSL:SECTLV FIELD
5058	THE MSL:RORD FIELD IS PROHIBITED WHEN THE MSL:LEGACT FIELD IS 'R'
5059	THE MSL:VTA FIELD IS PROHIBITED WHEN THE ASR:VTA FIELD IS POPULATED
5060	INVALID FORMAT FOR THE MSL:SCFA FIELD
5061	INVALID FORMAT FOR THE MSL:SCFA FIELD
5063	THE 'A' LOCATION OF THE MSL:SCFA FIELD IS NOT FOUND IN THE LOCATION TABLE
5064	THE 'Z' LOCATION OF THE MSL:SCFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
5068	THE MSL:SECLOC FIELD IS REQUIRED WHEN THE MSL:LEGACT FIELD IS 'N', 'C' OR 'M'
5070	THE MSL:SECLOC (POSITIONS 2-12) FIELD WAS NOT FOUND IN THE LOCATION TABLE
5074	THE MSL:REFNUM FIELD IS REQUIRED
5075	THE MSL:REFNUM FIELD SHOULD BE ASSIGNED CONSECUTIVELY STARTING WITH 0002

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
5101	THE VC:VCNUM FIELD IS REQUIRED
5102	THE VC:VCNUM FIELD MUST BE ASSIGNED CONSEQUENTLY STARTING WITH 0001
5103	THE VC:VCACT FIELD IS REQUIRED
5104	THE VC:VCACT FIELD MAY NOT BE 'K' ON INITIAL REQUEST
5105	VALID ENTRY OF 'K' IS NOT PERMITTED WHEN ALL VC'S ARE BEING CANCELED
5107	VC:DLCI FIELD IS REQUIRED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'F' AND THE VC:VCACT FIELD IS 'C', 'D' OR 'R'
5108	THE VC:DLCI FIELD IS PROHIBITED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'C'
5110	THE VC:CIR FIELD IS REQUIRED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'F' AND THE VC:VCACT FIELD IS 'N', 'C' OR 'R'
5118	THE VC:SCCT FIELD IS REQUIRED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'C' AND THE VC:VCACT FIELD IS 'N'
5119	THE VC:SCCT FIELD IS PROHIBITED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'F'
5120	THE VC:SCCT FIELD IS PROHIBITED WHEN THE VC:VCACT FIELD IS 'C'
5122	THE VC:PCR FIELD IS REQUIRED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'C' AND THE VC:VCACT FIELD IS 'N'
5123	THE VC:PCR FIELD IS PROHIBITED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'F'
5125	THE VC:SCR FIELD IS REQUIRED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'C' AND THE VC:VCACT FIELD IS 'N' AND THE VC:SCCT FIELD IS 'A', 'C' OR 'D'
5126	THE VC:SCR FIELD IS PROHIBITED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'F';
5127	THE VC:SCR FIELD IS PROHIBITED WHEN THE VC:SCCT FIELD IS 'B' OR 'E'
5129	THE VC:MCR FIELD IS PROHIBITED UNLESS THE VC:SCCT FIELD IS 'A'
5131	THE VC:MBS FIELD IS PROHIBITED UNLESS THE VC:SCCT FIELD IS 'C' OR 'D'
5133	THE VC:CTYP FIELD IS REQUIRED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'C' AND THE VC:VCACT FIELD IS 'N'
5134	THE VC:CTYP FIELD IS PROHIBITED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'F'
5135	THE VC:CTYP FIELD IS PROHIBITED WHEN THE VC:VCACT FIELD IS 'C'
5137	VC:VPI IS REQUIRED WHEN THE TRANS:BSC OR EUSA:BSC IS 'C'; AND THE VC:VCACT IS 'D'; OR 'R'; AND THE VC:CTYP IS 'P';
5138	VC:VPI IS PROHIBITED WHEN THE TRANS:BSC OR EUSA:BSC IS 'F';
5139	VC:VPI IS PROHIBITED WHEN THE VC:VCACT IS 'C';
5142	THE VC:VCI FIELD IS REQUIRED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'C' AND THE VC:VCACT FIELD IS 'D' OR 'R' AND THE VC:CTYP FIELD IS 'C'
5143	THE VC:VCI FIELD IS PROHIBITED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'F'
5144	THE VC:VCI FIELD IS PROHIBITED WHEN THE VC:VCACT FIELD IS 'C'
5145	THE VC:VCI FIELD IS PROHIBITED WHEN THE VC:CTYP FIELD IS 'P'
5147	THE VC:VCID FIELD IS PROHIBITED WHEN THE VC:VCACT FIELD IS 'C'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
5148	THE VC:VPID FIELD IS PROHIBITED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'F'
5149	THE VC:VPID FIELD IS PROHIBITED WHEN THE VC:VCACT FIELD IS 'C'
5150	THE VC:CDVT FIELD IS PROHIBITED UNLESS THE VC:SCCT FIELD IS 'B' OR 'D'
5152	THE VC:CDV FIELD IS PROHIBITED UNLESS THE VC:SCCT FIELD IS 'B' OR 'D'
5154	THE VC:TAG FIELD IS PROHIBITED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'F'
5156	THE VC:VCVTA FIELD IS PROHIBITED UNLESS THE EUSA:NVC OR TRANS:NVC FIELD IS GREATER THAN 1 AND THE ASR:VCVTA FIELD IS NOT POPULATED
5157	THE VC:RPON FIELD IS REQUIRED WHEN THE VC:RECCKT AND VC:RORD FIELDS ARE NOT POPULATED
5158	THE VC:RECCKT FIELD IS REQUIRED WHEN THE VC:RPON AND VC:RORD FIELDS ARE NOT POPULATED
5159	THE VC:RORD FIELD IS REQUIRED WHEN THE VC:RPON AND VC:RECCKT FIELDS ARE NOT POPULATED
5160	THE VC:RDLCI FIELD IS REQUIRED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'F' AND THE VC:VCACT FIELD IS 'C', 'D' OR 'R' AND THE VC:VST FIELD IS NOT POPULATED
5169	THE VC:RACNA FIELD IS PROHIBITED UNLESS THE VALUE DIFFERS FROM THE ASR:ACNA VALUE
5171	THE VC:RSCCT FIELD IS PROHIBITED UNLESS THE VALUE DIFFERS FROM THE VC:SCCT VALUE
5173	THE VC:RPCR FIELD IS PROHIBITED UNLESS THE VALUE DIFFERS FROM THE VC:PCR VALUE
5175	THE VC:RSCR FIELD IS PROHIBITED UNLESS THE VALUE DIFFERS FROM THE VC:SCR VALUE
5177	THE VC:RMCR FIELD IS PROHIBITED UNLESS THE VALUE DIFFERS FROM THE VC:MCR VALUE
5179	THE VC:RMBS FIELD IS PROHIBITED UNLESS THE VALUE DIFFERS FROM THE VC:MBS VALUE
5502	THE ASR:BSA FIELD IS PROHIBITED WHEN THE CC AND/OR WST FIELDS ARE POPULATED
5503	ASR:WST IS PROHIBITED FOR THIS REQUEST TYPE
5507	THE ASR:PSL FIELD IS REQUIRED WHEN THE ACTL IS BLANK AND THE CC AND UNE ARE POPULATED
5508	THE ASR:PSL FIELD MUST BE EXACTLY '8' OR '11' CHARACTERS
5509	THE ASR:PSL FIELD WAS NOT FOUND IN THE LOCATION TABLE
5510	THE ASR:PSLI FIELD IS REQUIRED WHEN THE PSL IS POPULATED
5511	THE ASR:PSLI FIELD IS PROHIBITED WHEN THE PSL IS NOT POPULATED
5513	THE ASR:PLU IS REQUIRED WHEN THE ASR:RQTYP IS 'M' AND ASR:CC IS POPULATED
5514	THE ASR:PLU IS PROHIBITED
5516	THE ASR:ACTL FIELD IS PROHIBITED WHEN THE PSLI='A'
5518	TRUNK:MLT IS PROHIBITED WHEN THE ASR:WST FIELD IS BLANK
5519	TRUNK:MLT REQUIRES A VALID NUMERIC VALUE 0-100
5520	TRUNK:IMTA IS PROHIBITED WHEN THE ASR:WST AND/OR ASR:CC FIELDS ARE BLANK
5521	TRUNK:IMTA REQUIRES A VALID NUMERIC VALUE 0-100

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
5565	THE TQ:ORDLEV FIELD IS PROHIBITED WHEN THE FIRST POSITION OF THE ASR:TQ FIELD IS NOT 'S', 'U' OR 'T'
5566	THE ASR:PIU FIELD IS REQUIRED WHEN NOT A FGC OR FGD REQUEST, THE ASR:ACT FIELD IS 'N', AND ASR:WST IS BLANK
5568	VALID ENTRIES FOR THE ASR:PIU FIELD ARE '0', '000 TO 100' AND 'LOF'
5569	VALID ENTRIES FOR THE ASR:PIU FIELD WHEN SPECIAL ACCESS ARE '0', '000' OR '100'
5570	VALID ENTRIES FOR THE ASR:PIU FIELD WHEN WATS ACCESS ARE '0', '000', '100'
5574	THE TQ:TGACT FIELD MAY NOT BE 'Z' WHEN THE TQ:REF FIELD IS 'A'
5575	THE TQ:TGACT FIELD MAY NOT BE 'K' ON THE INITIAL TQ SUBMISSION
5576	THE TQ:TGACT FIELD(S) CANNOT BE 'K' WHEN THE ASR:TQ(2) FIELD IS 'N' OR 'X'
5577	WHEN A TQ:TGACT VALUE OF 'E' IS PROVIDED, THEN AT LEAST ONE ADDITIONAL TQ:TGACT VALUE, OTHER THAN 'E', IS REQUIRED
5578	NO OTHER ROW/COLUMN VALUES ARE PERMITTED WHEN A VALUE IS PROVIDED IN ROW 1 COLUMN 1 OF THE ROUTING MATRIX
5579	WHEN 'ALL' IS SPECIFIED IN THE ROUTING MATRIX, OTHER ENTRIES ARE PROHIBITED IN THE ROW OR COLUMN
5600	THE ASR:FNI FIELD IS REQUIRED WHEN THE FIRST POSITION OF REQ TYP IS "R" AND UNE IS BLANK
5601	THE ASR:FNI FIELD IS PROHIBITED WHEN THE ASR:UNE FIELD IS POPULATED
5602	VALID ENTRIES FOR THE ASR:PIU FIELD WHEN ASR:UNE IS POPULATED ARE '0', AND 'LOF'
5606	THE ASR:UNE FIELD IS PROHIBITED UNLESS THE ASR:CC FIELD IS POPULATED AND THE FIRST CHARACTER OF ASR:RQTYP IS 'M', 'S', OR 'L'
5610	ASR:IWBAN IS REQUIRED WHEN THE GETO FIELD ON THE SERVICE-SPECIFIC FORM IS "A", "E", "S", "T", "U", "V", "W", "Y", "Z"
5613	TRANS:S25 IS PROHIBITED WHEN ASR:UNE IS POPULATED
5614	THE TRANS:TRF FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N', 'C', 'T', OR 'R' AND ASR:UNE IS BLANK
5616	TRANS:MST IS PROHIBITED WHEN ASR:UNE IS POPULATED
5618	TRANS:GETO IS PROHIBITED WHEN ASR:UNE IS POPULATED
5619	THE TRANS:REMARKS FIELD IS REQUIRED TO SPECIFY REQUIREMENTS WHEN THE TRANS:GETO FIELD IS 'O'
5621	TRANS:GBTN FIELD IS PROHIBITED WHEN THE TRANS:GETO IS BLANK, 'A', 'E', 'S', 'T', 'U', 'V', 'W', 'Y', OR 'Z'
5622	TRANS:HVP FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D' OR ASR:UNE FIELD IS POPULATED
5623	THE TRANS:NSIM FIELD IS PROHIBITED UNLESS WIDEBAND DIGITAL 2 SERVICE AND THE ASR:ACT FIELD IS 'N', 'C', 'T' OR 'R' AND ASR:UNE IS BLANK
5624	TRANS:CKLT IS PROHIBITED WHEN ASR:UNE IS POPULATED
5625	THE TRANS:HBAN FIELD IS PROHIBITED WHEN THE ASR:UNE FIELD IS POPULATED
5628	TRANS:ETET IS PROHIBITED WHEN SALI:SMJK IS BLANK OR ASR:UNE IS POPULATED
5630	THE TRANS:DIR FIELD IS PROHIBITED WHEN THE TRANS:PRIADM FIELD OR THE TRANS:CFA FIELD ARE BLANK

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
5632	TRANS:SDIR IS PROHIBITED WHEN THE TRANS:SECADM FIELD OR THE TRANS:SCFA FIELD ARE BLANK
5635	TRANS:ISDNSEQ IS PROHIBITED WHEN ASR:UNE IS POPULATED
5637	TRANS:CTXTEL IS PROHIBITED WHEN ASR:UNE IS POPULATED
5640	TRANS:GTEL IS REQUIRED WHEN TRANS:GCON IS POPULATED
5641	TRANS:GTEL IS PROHIBITED WHEN TRANS:GCON IS BLANK
5642	EUSA:BSC IS REQUIRED WHEN THE FIRST CHARACTER OF ASR:RQTYP IS 'X'
5643	EUSA:BSC IS PROHIBITED UNLESS THE FIRST CHARACTER OF ASR:RQTYP IS 'X'
5645	EUSA:ETET IS PROHIBITED WHEN SALI:SMJK IS BLANK
5647	EUSA:PRI_GTEL IS REQUIRED WHEN EUSA:PRI_GCON IS POPULATED
5648	EUSA:PRI_GTEL IS PROHIBITED WHEN THE EUSA:PRI_GCON IS BLANK
5652	THE EUSA:PRI_DIR FIELD IS PROHIBITED WHEN THE EUSA:PRIADM FIELD AND THE EUSA:PRI_CFA FIELD ARE BLANK
5654	EUSA REMARKS ARE REQUIRED TO SPECIFY REQUIREMENTS WHEN THE EUSA:SEC_GETO FIELD IS 'O'
5656	EUSA:SEC_GTEL IS REQUIRED WHEN EUSA:SEC_GCON IS POPULATED
5657	EUSA:SEC_GTEL IS PROHIBITED WHEN EUSA:SEC_GCON IS BLANK
5661	EUSA:SEC_DIR IS PROHIBITED UNLESS THE EUSA:SECADM OR THE EUSA:SEC_CFA IS POPULATED
5664	ACI:S25C IS PROHIBITED WHEN ASR:UNE IS POPULATED
5665	ACI:SEC_SMJK IS PROHIBITED WHEN ASR:UNE IS POPULATED
5668	ACI:ISDSEQ IS PROHIBITED WHEN ASR:UNE IS POPULATED
5669	ACI:RECCKT IS PROHIBITED WHEN THE FIRST POSITION OF THE ASR:RQTYP IS NOT ('M' OR 'A'), OR ASR:ACT IS NOT 'D'
5691	MSL:GTEL IS REQUIRED WHEN MSL:GCON IS POPULATED
5692	MSL:GTEL IS PROHIBITED WHEN MSL:GCON IS BLANK
5693	VC:VPI IS REQUIRED WHEN VC:VCI IS POPULATED
5715	MULTIEC:OEC_ICSC IS PROHIBITED WHEN ASR:ASCEC IS BLANK
5716	THE MULTIEC:OEC_ICSC CAN NOT BE EQUAL TO THE ASR:ICSC FIELD
5718	THE EUSA:SEC_NCI FIELD IS PROHIBITED ON MULTI-POINT ASRS (EUSA:NSL IS POPULATED)
5720	THE RING:NC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N'
5721	THE RING:NC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'C' AND THE RING:SEGACT FIELD IS 'N' OR 'C'
5722	THE RING:NC FIELD WAS NOT FOUND IN THE NC TABLE
5723	THE RING:NCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N'
5724	THE RING:NCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'C' AND THE RING:SEGACT FIELD IS 'N' OR 'C'
5726	THE RING:NCI FIELD WAS NOT FOUND IN THE NCI TABLE
5730	THE RING:SECNCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N'
5731	THE RING:SECNCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'C' AND THE RING:SEGACT FIELD IS 'N' OR 'C'
5733	THE RING:SECNCI FIELD WAS NOT FOUND IN THE NCI TABLE
5734	EMBEDDED BLANKS ARE NOT PERMITTED IN THE PORTS FIELD
5735	VALID VALUES FOR PORTS FIELD INCLUDE ONE ALPHA CHARACTER FOLLOWED BY 1-3 NUMERIC CHARACTERS
5736	THE FIRST CHARACTER OF EACH PORTS FIELD VALUE MUST BE A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, OR U

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
5737	INVALID FORMAT FOR THE CFA FIELD - SHOULD BE DES/TYP/CP/ALOC/ZLOC
5738	INVALID PARAMETER LENGTH FOR THE CFA - SHOULD BE (1-5)/(1-6)/(1-5)/(8 OR 11)/(8 OR 11)
5740	THE 'A'; LOCATION OF THE CFA WAS NOT FOUND IN THE LOCATION TABLE
5741	THE 'Z'; LOCATION OF THE CFA WAS NOT FOUND IN THE LOCATION TABLE
5850	THE SEGACT FIELD IS PROHIBITED WHEN ASR:ACT IS 'N', 'D', OR 'R'
5853	THE RING:RMP FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D' OR 'R'
5855	THE NMO FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D' OR 'R'
5858	THE PRILOC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C'
5859	THE RING:PRILOC FIELD IS PROHIBITED WHEN THE ASR:ACTL FIELD IS POPULATED
5861	PRILOC FIELD (POSITIONS 2-12) WAS NOT FOUND IN THE LOCATION TABLE
5862	THE PRILOC_SPOT FIELD WAS NOT FOUND IN THE LOCATION TABLE
5863	THE RING:PRILOC_PNO FIELD IS REQUIRED WHEN THE RING:SEGACT FIELD IS 'N'
5874	THE PRILOC_NID FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', OR 'D'
5875	THE PRILOC_NID FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS NOT 'N', 'C', OR 'D'
5876	THE SECLOC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C'
5879	POSITIONS (2-12) OF THE SECLOC FIELD WERE NOT FOUND IN THE LOCATION TABLE
5880	THE SECLOC_SPOT FIELD WAS NOT FOUND IN THE LOCATION TABLE
5881	THE SECLOC_PNO FIELD IS REQUIRED WHEN THE SEGACT FIELD IS 'N'
5884	THE ARI:NC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N'
5885	THE ARI:NC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'C' AND THE ARI:SEGACT FIELD IS 'N' OR 'C'
5886	THE ARI:NC FIELD WAS NOT FOUND IN THE NC TABLE
5887	THE ARI:NCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N'
5888	THE ARI:NCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'C' AND THE ARI:SEGACT FIELD IS 'N' OR 'C'
5890	THE ARI:NCI FIELD WAS NOT FOUND IN THE NCI TABLE
5894	THE ARI:SECNCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N'
5895	THE ARI:SECNCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'C' AND THE ARI:SEGACT FIELD IS 'N' OR 'C'
5897	THE ARI:SECNCI FIELD WAS NOT FOUND IN THE NCI TABLE
5898	THE ARI:ECCKT FIELD IS REQUIRED WHEN THE ARI:SEGACT FIELD IS 'C', 'D', OR 'R';
5900	EUSA:SEC_NCI IS REQUIRED FOR TWO-POINT SERVICE (EUSA:NSL IS BLANK) WHEN THE ASR:ACT FIELD IS 'N', 'C', OR 'T', AND THE FIRST CHARACTER OF THE EUSA:SEC_LOC IS 'E'
5903	WHEN DISCONNECTING AND ADDING SEGMENTS, ALL SEGMENTS WITH SEGACT 'D' VALUE MUST PRECEDE ALL SEGMENTS WITH SEGACT 'N' VALUE, BETWEEN THE RING AND ARI FORMS
5905	INVALID ENTRY FOR THE ASR:RTR FIELD WHEN THE ASR:RQTYP FIELD IS 'E', 'R' OR 'W'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
5906	INVALID ENTRY FOR THE ASR:RTR FIELD WHEN THE ASR:ASCEC FIELD IS POPULATED
5907	INVALID ENTRY FOR THE ASR:RTR FIELD WHEN THE ASR:TQ FIELD (2) IS 'N', OR 'X'
5908	INVALID ENTRY FOR THE ASR:RTR FIELD WHEN THE ASR:ACT FIELD IS 'M', OR 'R'
5909	THE ASR:QSA FIELD IS PROHIBITED WHEN THE FIRST CHARACTER OF THE ASR:RQTYP FIELD IS 'M'
5911	THE ASR:QSA FIELD MUST BE EQUAL TO THE TOTAL NUMBER OF SALI ENTRIES - VERIFY INPUT
5912	TRANS:S25 IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' AND THE ASR:LTP (1) IS NOT 'A', 'G', 'H', 'I', 'J', OR 'K'
5913	TRANS:S25 IS PROHIBITED WHEN ASR:ACT IS NOT 'N' AND THE FIRST CHARACTER OF THE ASR:LTP IS 'A', 'G', 'H', 'I', 'J', OR 'K'
5914	TRANS:GCON IS REQUIRED WHEN TRANS:GETO IS OTHER THAN 'N', 'S', 'U', OR 'W'
5915	TRANS:SECLOC (POSITIONS 2-12) MUST BE BLANK WHEN THE FIRST CHARACTER IS 'E'
5916	EUSA:PRI_GCON IS REQUIRED WHEN EUSA:PRI_GETO IS OTHER THAN 'N', 'S', 'U', OR 'W'
5917	EUSA:PRI_LOC (POSITIONS 2-12) MUST BE BLANK WHEN THE FIRST CHARACTER IS 'E'
5919	THE EUSA:PRI_ER IS PROHIBITED UNLESS THE EUSA:PRI_S25(1) FIELD IS 'A' OR 'B'
5921	EUSA:SEC_LOC (POSITIONS 2-12) MUST BE BLANK WHEN THE FIRST CHARACTER IS 'E'
5923	INVALID FORMAT FOR THE EUSA:SEC_S25 FIELD
5924	INVALID FORMAT FOR THE EUSA:PRI_S25 FIELD
5925	THE EUSA:SEC_ER IS PROHIBITED UNLESS THE EUSA:SEC_S25(1) FIELD IS 'A' OR 'B'
5927	THE ACI:SEC_PCA FIELD IS REQUIRED WHEN THE FIRST CHARACTER OF THE ASR:RQTYP IS 'W', 'S', OR 'E' AND THE RESPECTIVE SALI:PCA FIELD IS POPULATED
5928	THE ACI:SEC_PCA FIELD IS PROHIBITED UNLESS THE FIRST CHARACTER OF THE ASR:RQTYP IS 'W', 'S', OR 'E' AND THE RESPECTIVE SALI:PCA FIELD IS POPULATED
5929	THE ACI:SEC_JS FIELD IS REQUIRED WHEN THE FIRST CHARACTER OF THE ASR:RQTYP IS 'W', 'S', OR 'E' AND THE RESPECTIVE SALI:JS FIELD IS POPULATED
5930	THE ACI:SEC_JS FIELD IS PROHIBITED UNLESS THE FIRST CHARACTER OF THE ASR:RQTYP IS 'W', 'S', OR 'E' AND THE RESPECTIVE SALI:JS FIELD IS POPULATED
5933	SALI:AFT IS PROHIBITED UNLESS SALI:SASN IS POPULATED
5935	SALI:SAPR IS PROHIBITED UNLESS SALI:SANO IS POPULATED
5936	SALI:SANO IS REQUIRED WHEN SALI:AFT IS 'C'
5938	SALI:SASF IS PROHIBITED UNLESS SALI:SANO IS POPULATED
5939	SALI:SASD IS PROHIBITED UNLESS SALI:SASN IS POPULATED
5941	SALI:SASN IS REQUIRED WHEN THE FIRST CHARACTER OF ASR: RQTYP IS 'E' OR 'S' OR 'X' OR 'V', ASR:ACT IS 'N', 'C', 'M', OR 'T', SALI:EUNAME IS POPULATED, AND SALI:SI IS NOT 'C'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
5942	SALI:SASN IS REQUIRED WHEN THE FIRST CHARACTER OF ASR: RQTYP IS 'W', ASR:ACT IS 'N', 'M', OR 'T', SALI:EUNAME IS POPULATED, AND SALI:SI IS NOT 'C'
5943	SALI:SASN IS REQUIRED WHEN THE MSL:LEGACT IS 'N', 'C', OR 'M', SALI:EUNAME IS POPULATED, AND SALI:SI IS NOT 'C'
5944	SALI:SASN IS REQUIRED WHEN ASR: RQTYP IS 'R', ASR:ACT IS 'N' OR 'C', AND SALI:EUNAME IS POPULATED
5945	SALI:SATH IS PROHIBITED UNLESS SALI:SASN IS POPULATED
5946	SALI:SASS IS PROHIBITED UNLESS SALI:SASN IS POPULATED
5948	SALI:LD1 IS PROHIBITED UNLESS SALI:SASN IS POPULATED
5949	SALI:LV1 IS PROHIBITED UNLESS SALI:LD1 IS POPULATED
5950	SALI:LD2 IS PROHIBITED UNLESS SALI:SASN IS POPULATED
5951	SALI:LV2 IS PROHIBITED UNLESS SALI:LD2 IS POPULATED
5952	SALI:LD3 IS PROHIBITED UNLESS SALI:SASN IS POPULATED
5953	SALI:LV3 IS PROHIBITED UNLESS SALI:LD3 IS POPULATED
5955	SALI:STATE IS PROHIBITED UNLESS SALI:SASN IS POPULATED
5956	SALI:ZIP IS PROHIBITED UNLESS SALI:SASN IS POPULATED
5958	SALI:REN IS PROHIBITED WHEN THE MSL: LEGACT is 'D', 'M', OR 'R'
5959	JKCODE IS REQUIRED WHEN SALI:JS IS 'E' OR 'N'
5960	JKCODE IS PROHIBITED WHEN SALI:JS IS BLANK
5961	JKNUM IS REQUIRED WHEN SALI:JKCODE IS POPULATED
5962	JKNUM IS PROHIBITED WHEN SALI:JKCODE IS BLANK
5963	JKPOS IS REQUIRED WHEN SALI:JKCODE IS POPULATED
5964	JKPOS IS PROHIBITED WHEN SALI:JKCODE IS BLANK
5966	SALI:JS IS PROHIBITED FOR RING SERVICE
5967	THE SALI:JS FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', OR 'T', THE SALI:PCA FIELD IS BLANK, THE SALI:EUNAME FIELD IS POPULATED, AND THE SALI:SI FIELD IS NOT 'C'
5968	SALI:JS IS REQUIRED WHEN THE RESPECTIVE MSL:LEGACT IS 'N', SALI:PCA IS BLANK, SALI:EUNAME IS POPULATED, AND SALI:SI IS NOT 'C'
5971	SALI:PCA IS PROHIBITED FOR RING SERVICE
5972	SALI:PCA IS REQUIRED WHEN ASR:ACT IS 'N', OR 'T', SALI:JS IS BLANK, SALI:EUNAME IS POPULATED, AND SALI:SI IS NOT 'C'
5973	SALI:PCA IS REQUIRED WHEN THE RESPECTIVE MSL:LEGACT IS 'N', SALI:JS IS BLANK, SALI:EUNAME IS POPULATED, AND SALI:SI IS NOT 'C'
5974	THE SALI:PCA FIELD IS PROHIBITED UNLESS (THE ASR:ACT FIELD IS 'N' OR 'T', THE SALI:JS FIELD IS NOT POPULATED, THE SALI:EUNAME FIELD IS POPULATED, AND THE SALI:SI FIELD IS NOT 'C') OR (THE RESPECTIVE MSL:LEGACT FIELD IS 'N', THE SALI:JS FIELD IS NOT POPULATED, THE SALI:EUNAME FIELD IS POPULATED, AND THE SALI:SI FIELD IS NOT 'C',) OR (THE ASR:ACT FIELD IS 'C', 'D' OR 'M', THE SALI:JS FIELD IS NOT POPULATED, THE SALI:EUNAME FIELD IS POPULATED AND THE SALI:SI FIELD IS NOT 'C') OR (THE RESPECTIVE MSL:LEGACT FIELD IS 'C', 'D', 'M' OR 'K', THE SALI:JS FIELD IS NOT POPULATED, THE SALI:EUNAME FIELD IS POPULATED AND THE SALI:SI FIELD IS NOT 'C')
5975	SALI:SI IS REQUIRED WHEN SALI:SPOT IS POPULATED
5976	SALI:SI IS PROHIBITED WHEN SALI:SPOT IS NOT POPULATED
5978	SALI:SPOT IS PROHIBITED FOR RING SERVICE
5982	SALI:LCON IS REQUIRED WHEN THE FIRST CHARACTER OF ASR:RQTYP IS 'R', ASR:ACT IS 'N', AND SALI:EUNAME IS POPULATED

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
5983	THE SALI:LCON FIELD IS REQUIRED WHEN THE FIRST CHARACTER OF THE ASR:RQTYP FIELD IS 'R', THE ASR:ACT FIELD IS 'C', THE RING:SEGACT OR ARI:SEGACT FIELD IS 'N' OR 'C', AND THE SALI:EUNAME FIELD IS POPULATED
5985	ACTEL IS REQUIRED WHEN SALI:LCON IS POPULATED
5986	ACTEL IS PROHIBITED WHEN SALI:LCON IS BLANK
5987	ACPPN IS PROHIBITED WHEN SALI:ACPGN IS BLANK
5988	SALI:ACC FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'R'
5990	THE TRANS:ER IS PROHIBITED UNLESS THE TRANS:S25(1) FIELD IS 'A' OR 'B';
5992	REGISTERED JACK ('E') AND REGISTERED DEMARC('F') JACK STATUS (SALI:JS) VALUES CANNOT EXIST ON THE SAME REQUEST
5993	THE ACI:PRI_PCA FIELD IS REQUIRED WHEN THE FIRST CHARACTER OF THE ASR:RQTYP IS 'E' AND THE RESPECTIVE SALI:PCA FIELD IS POPULATED
5994	THE ACI:PRI_PCA FIELD IS PROHIBITED UNLESS THE FIRST CHARACTER OF THE ASR:RQTYP IS 'E' AND THE RESPECTIVE SALI:PCA FIELD IS POPULATED
5995	THE ACI:PRI_JS FIELD IS REQUIRED WHEN THE FIRST CHARACTER OF THE ASR:RQTYP IS 'E' AND THE RESPECTIVE SALI:JS FIELD IS POPULATED
5996	THE ACI:PRI_JS FIELD IS PROHIBITED UNLESS THE FIRST CHARACTER OF THE ASR:RQTYP IS 'E' AND THE RESPECTIVE SALI:JS FIELD IS POPULATED
5997	MSL:SECLOC (POSITIONS 2-12) MUST BE BLANK WHEN THE FIRST CHARACTER IS 'E'
5999	RING:PRILOC (POSITIONS 2-12) MUST BE BLANK WHEN THE FIRST CHARACTER IS 'E'
6002	ARI:PRILOC (POSITIONS 2-12) MUST BE BLANK WHEN THE FIRST CHARACTER IS 'E'
6004	SALI:EUNAME IS REQUIRED WHEN EUSA PRILOC IS 'E'
6005	SALI:EUNAME IS REQUIRED WHEN THE SERVICE-SPECIFIC SEC LOC (TRANS:SECLOC, EUSA:SEC_LOC OR WAL:SECLOC) IS 'E';
6006	SALI:EUNAME IS REQUIRED WHEN THE ARI:PRILOC IS 'E' AND THE ARI:PRILOC_SPOT IS NOT POPULATED
6008	THE MSL:S25C FIELD IS REQUIRED WHEN THE MSL:LEGACT FIELD IS 'N'
6009	VALID VALUES FOR MSL:S25C ARE 'A', 'B', 'C' OR 'NA'
6013	VALID ENTRIES FOR THE FIRST POSITION OF THE ASR:CBDFIELD ARE 'A' AND SPACE; VALID ENTRIES FOR POSITIONS 2-3 ARE SPACES AND 01 TO 99
6015	THE ASR:RPON FIELD IS REQUIRED WHEN THE TRUNK:RELTSC FIELD IS 'N'
6018	THE VC:DLCI FIELD IS REQUIRED WHEN THE VC:VST FIELD IS 'A' OR 'C' AND THE VC:VCACT FIELD IS 'C', OR 'R'
6019	THE VC:DLCI FIELD IS PROHIBITED WHEN THE VC:VST FIELD IS 'B'
6020	THE VC:CIR FIELD IS REQUIRED WHEN THE VC:VST FIELD IS 'A' OR 'C' AND THE VC:VCACT FIELD IS 'N', 'C', OR 'R'
6021	VC:CIR IS PROHIBITED UNLESS (EUSA:BSC OR TRANS:BSC IS 'F' AND VC:VCACT IS 'N', 'C', OR 'R') OR (IF VC:VST IS 'A' OR 'C' AND VC:VCACT IS 'N', 'C', OR 'R')
6022	THE VC:BC FIELD IS PROHIBITED UNLESS THE EUSA:BSC OR TRANS:BSC FIELD IS 'F' OR THE VC:VST IS 'A' OR 'C'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
6023	THE VC:BE FIELD IS PROHIBITED UNLESS THE EUSA:BSC OR TRANS:BSC FIELD IS 'F' OR THE VC:VST IS 'A' OR 'C'
6024	THE VC:SCCT FIELD IS REQUIRED WHEN THE VC:VST FIELD IS 'B' AND THE VC:VCACT FIELD IS 'N'
6025	THE VC:SCCT FIELD IS PROHIBITED WHEN THE VC:VST FIELD IS 'A' OR 'C'
6026	THE VC:PCR FIELD IS REQUIRED WHEN THE VC:VST FIELD IS 'B' AND THE VC:VCACT FIELD IS 'N'
6027	THE VC:PCR FIELD IS PROHIBITED WHEN THE VC:VST FIELD IS 'A' OR 'C'
6029	THE VC:SCR FIELD IS PROHIBITED WHEN THE VC:VST FIELD IS 'A' OR 'C'
6030	THE VC:SCR FIELD IS REQUIRED WHEN THE VC:VST FIELD IS 'B' AND THE VC:VCACT FIELD IS 'N' AND THE VC:SCCT FIELD IS 'A', 'C', OR 'D'
6031	THE VC:CTYP FIELD IS REQUIRED WHEN THE VC:VST FIELD IS 'B' AND THE VC:VCACT FIELD IS 'N'
6032	THE VC:CTYP FIELD IS PROHIBITED WHEN THE VC:VST FIELD IS 'A' OR 'C'
6033	VC:VPI IS REQUIRED WHEN THE VC:VST IS 'B' AND THE VC:VCACT IS 'D' OR 'R' AND THE VC:CTYP IS 'P' WHEN THE VC:VPI IS BLANK, THE VC:VST IS 'B' AND THE VC:VCACT IS 'D' OR 'R' AND THE VC:CTYP IS 'P'
6034	THE VC:VPI FIELD IS PROHIBITED WHEN THE VC:VST FIELD IS 'A' OR 'C'
6035	VC:VCI IS REQUIRED WHEN THE VC:VST IS 'B' AND THE VC:VCACT IS 'D' OR 'R' AND THE VC:CTYP IS 'C'
6036	THE VC:VCI FIELD IS PROHIBITED WHEN THE VC:VST FIELD IS 'A' OR 'C'
6037	THE VC:VPID FIELD IS PROHIBITED WHEN THE VC:VST FIELD IS 'A' OR 'C'
6038	THE VC:TAG FIELD IS PROHIBITED WHEN THE VC:VST FIELD IS 'A' OR 'C'
6039	THE VC:RDLCI FIELD IS REQUIRED WHEN THE VC:VST FIELD IS 'B' AND THE VC:VCACT FIELD IS 'C' OR 'R'
6040	THE VC:RDLCI FIELD IS PROHIBITED WHEN THE VC:VST FIELD IS 'A' OR 'C'
6041	THE VC:RDLCI FIELD IS PROHIBITED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'C' AND THE VC:VST IS BLANK
6042	THE VC:RCIR FIELD IS REQUIRED WHEN THE VC:VST FIELD IS 'B' AND THE VC:VCACT FIELD IS 'N', 'C' OR 'R'
6043	THE VC:RBC FIELD IS PROHIBITED UNLESS THE EUSA:BSC OR TRANS:BSC FIELD IS 'F' OR THE VC:VST IS 'B'
6044	THE VC:RBE FIELD IS PROHIBITED UNLESS THE EUSA:BSC OR TRANS:BSC FIELD IS 'F' OR THE VC:VST IS 'B'
6047	VC:RCDVT CANNOT BE EQUAL TO VC:CDVT WHEN TRANS:BSC OR EUSA:BSC IS 'C' AND VC:VST IS NOT EQUAL TO 'A' OR 'C'
6048	THE VC:RCDV FIELD IS REQUIRED WHEN THE VC:VST IS 'A' OR 'C'
6049	VC:RCDV CANNOT BE EQUAL TO VC:CDV WHEN TRANS:BSC OR EUSA:BSC IS 'C' AND VC:VST IS NOT EQUAL TO 'A' OR 'C'
6050	THE TQ:CCW FIELD IS REQUIRED WHEN THE TRUNK:TRFTYP FIELD IS 'AL', 'AM', 'TM', OR 'TS' AND THE FIRST POSITION OF THE ASR:TQ IS 'L' OR 'W'
6051	THE TQ:CCW FIELD IS PROHIBITED UNLESS THE TRUNK:TRFTYP FIELD IS 'AL', 'AM', 'TM', OR 'TS' AND THE FIRST POSITION OF THE ASR:TQ FIELD IS 'L' OR 'W'
6052	TQ:NDO IS PROHIBITED UNLESS ASR:ACT IS 'N' OR 'C' AND TQ:TGACT IS NOT 'E' AND EITHER (IT'S A FGB REQUEST AND ASR:TQ(1) IS 'B' OR 'U') OR (ASR:WST IS POP'D AND ASR:TQ(1) IS 'W' OR 'X') OR (ASR:CC IS POP'D AND ASR:TQ(1) IS 'L' OR 'M')

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
6053	THE SALI:EUNAME IS PROHIBITED UNLESS ((SALI:PI IS 'Y' AND EUSA:PRI_LOC IS 'E') OR (SALI:PI IS BLANK AND EITHER (SA:SECLOC OR EUSA:SEC_LOC OR WAL:SECLOC) IS 'E') OR (SALI:PI IS 'Y' AND RING:PRILOC IS 'E') OR (SALI:PI IS 'Y' AND THE ARI:PRILOC IS 'E') OR (SALI:PI IS BLANK AND THE MSL:SECLOC IS 'E'))
6058	SALI:EUNAME IS REQUIRED WHEN THE MSL:SECLOC IS 'E'
6061	VC:VST IS PROHIBITED WHEN VC:VCACT IS 'D' OR 'K'
6062	THE VC:RCDVT FIELD IS REQUIRED WHEN THE VC:VST IS 'A' OR 'C'
6063	VC:RCDVT IS PROHIBITED WHEN VC:VST IS NOT 'A' OR 'C', AND TRANS:BSC OR EUSA:BSC IS NOT 'C';
6064	VC:RCDV IS PROHIBITED WHEN VC:VST IS NOT 'A' OR 'C', AND TRANS:BSC OR EUSA:BSC IS NOT 'C';
6069	THE ASR:QSA FIELD IS REQUIRED WHEN THE FIRST CHARACTER OF THE ASR:RQTYP FIELD IS 'S', 'E', 'W', 'V' OR 'X', ASR:ACT IS 'N' OR 'T', AND AN END USER LOCATION (PRILOC/SECLOC) IS PRESENT
6070	THE ASR:QSA FIELD IS REQUIRED WHEN THE FIRST CHARACTER OF THE ASR:RQTYP FIELD IS 'R', ASR:ACT IS 'N', AND AN END USER LOCATION (PRILOC) IS PRESENT
6071	THE ASR:QSA FIELD IS REQUIRED WHEN THE FIRST CHARACTER OF THE ASR:RQTYP FIELD IS 'A', ASR:ACT IS 'N' OR 'T', AND FGA:NSL IS POPULATED
6073	THE ASR:LADATED FIELD IS REQUIRED WHEN ASR:LANM IS POPULATED
6074	THE ASR:LADATED FIELD IS PROHIBITED WHEN ASR:LANM IS BLANK
6075	THE ASR:LANM FIELD IS PROHIBITED UNLESS ASR:LA IS 'Y'
6076	VC:VST MUST BE BLANK OR 'B' WHEN TRANS:BSC OR EUSA:BSC IS 'C'
6077	VC:VST MUST BE BLANK, 'A', OR 'C' WHEN TRANS:BSC OR EUSA:BSC IS 'F'
6080	THE VC:RVPI FIELD IS PROHIBITED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'F' AND THE VC:VST IS BLANK
6081	THE VC:RVPI FIELD IS PROHIBITED WHEN THE VC:VST IS 'B'
6083	THE VC:RVCI FIELD IS PROHIBITED WHEN THE EUSA:BSC OR TRANS:BSC FIELD IS 'F' AND THE VC:VST IS BLANK
6084	THE VC:RVCI FIELD IS PROHIBITED WHEN THE VC:VST IS 'B'
6085	SALI:ICOL IS PROHIBITED UNLESS THE ASR:ASCEC AND SALI:SASN ARE POPULATED
6086	SALI:LCON IS REQUIRED WHEN THE FIRST CHARACTER OF ASR:RQTYP IS 'S' OR 'W', ASR:ACT IS 'N', 'M', OR 'T', SALI:EUNAME IS POPULATED, AND SALI:SI IS NOT 'C'
6087	SALI:LCON IS REQUIRED WHEN THE MSL:LEGACT IS 'N', 'C', OR 'M', THE FIRST CHARACTER OF ASR:RQTYP IS 'A', 'W', 'S' OR 'E', SALI:EUNAME IS POPULATED, AND SALI:SI IS NOT 'C'
6088	SALI:LCON IS REQUIRED WHEN THE FIRST CHARACTER OF ASR:RQTYP IS 'E', ASR:ACT IS 'N', 'C', 'M', OR 'T', SALI:EUNAME IS POPULATED, AND SALI:SI IS NOT 'C'
6100	SALI:CITY IS REQUIRED WHEN SALI:SASN IS POPULATED
6101	THE FIELD IS PROHIBITED IF THE PCACT FIELD IS NOT POPULATED
6102	THE ASR:LTP FIELD IS REQUIRED WHEN (FIRST POSITION OF ASR:RQTYP IS "M" OR "A") AND (ASR:ACT IS "N", "C" OR "D")

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
6103	"B", "C", "D" OR "E" IN SECOND POSITION OF ASR:LTP FIELD IS NOT ALLOWED IF FIRST POSITION OF ASR:RQTYP FIELD IS "L"
6105	THE FIELD IS PROHIBITED IF THE TRUNK:PCACT FIELD IS NOT POPULATED OR THE ASR:ACT FIELD IS NOT 'C'
6106	THE TRUNK:TSC2 FIELD IS PROHIBITED IF THE (TRUNK:PCACT FIELD IS NOT POPULATED) OR THE (ASR:ACT FIELD IS NOT 'C') OR (THE ASR:TSC FIELD IS NOT POPULATED)
6110	SALI:EUNAME IS REQUIRED WHEN THE RING:PRILOC IS 'E' AND THE RING:PRILOC_SPOT IS NOT POPULATED
6114	IF FIRST POSITION OF ASR:TQ FIELD IS 'L', 'M', 'W', 'X' OR 'C', THEN THE ASR:CC AND/OR THE ASR:WST FIELDS ARE REQUIRED
6116	THE TRUNK:CKR1 FIELD IS PROHIBITED UNLESS THE FIRST POSITION OF THE ASR:LTP FIELD IS 'B', 'C', 'D', 'E', 'L', 'M', 'P', OR 'Q' AND THE ASR:ACT FIELD IS 'N', 'C' OR 'D'
6117	THE TQ:CNPANXX FIELD IS REQUIRED WHEN THE FIRST POSITION OF THE ASR:TQ FIELD IS 'C'
6118	THE TQ:CNPANXX FIELD IS REQUIRED WHEN THE ASR:TQ(1) FIELD IS 'E' AND THE TRUNK:PCU FIELD IS '1', '3', '5', '7', 'B', 'C' OR 'D'
6119	TQ:LRNG FIELD IS PROHIBITED UNLESS (((ASR:ACT FIELD IS 'N') AND (THE TQ:DIR FIELD IS '1O', '2W' OR '2O') AND (TQ:CNPANXX FIELD IS POPULATED) AND (THE TQ:LRN FIELD IS BLANK)) OR ((ASR:ACT FIELD IS 'C') AND (TQ:CNPANXX FIELD IS POPULATED) AND (TQ:LRN FIELD IS BLANK) AND (THE ASR:RQTYP(1) FIELD IS 'M')))
6120	TQ:LRN FIELD IS PROHIBITED UNLESS (((ASR:ACT FIELD IS 'N') AND (TQ:DIR FIELD IS '1O', '2W' OR '2O') AND (TQ:CNPANXX FIELD IS POPULATED) AND (THE TQ:LRNG FIELD IS BLANK)) OR ((ASR:ACT FIELD IS 'C') AND (TQ:CNPANXX FIELD IS POPULATED) AND (TQ:LRNG FIELD IS BLANK) AND (ASR:RQTYP(1) FIELD IS 'M')))
6123	THE VC:PRID FIELD IS PROHIBITED WHEN THE EUSA:BSC OR THE TRANS:BSC FIELD IS 'C'
6126	SALI:STATE IS REQUIRED WHEN SALI:SASN IS POPULATED
6127	SALI:ZIP IS REQUIRED WHEN SALI:SASN IS POPULATED
6129	THE TQ:NPANXXMTX AND TQ:SACNXX SECTIONS ARE MUTUALLY EXCLUSIVE
6130	THE ASR:AFO(1) FIELD IS REQUIRED WHEN THE ACI FORM IS PROVIDED
6131	THE ASR:AFO(4) FIELD IS REQUIRED WHEN THE EOD FORM IS PROVIDED
6134	THE SALI:PI FIELD SHOULD BE 'Y' IF THE FIRST POSITION OF THE EUSA:PRI_LOC OR THE RING:PRILOC OR THE ARI:PRILOC IS 'E'
6135	THE ASR:DSGFAXNO FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T', THE ASR:DRC FIELD IS NOT POPULATED, THE ASR:RTR FIELD IS 'S' OR '1-10', AND THE ASR:DSGSTR FIELD IS NOT POPULATED
6136	THE ACI:SCFA FIELD IS REQUIRED WHEN THE SCFA FIELD ON THE FGA, TRUNKING, OR TRANSPORT FORM IS POPULATED
6139	THE TQ:REF FIELD IS REQUIRED WHEN THE COMMTX SECTION IS POPULATED
6141	THE TQ:CTECHTEL FIELD IS REQUIRED WHEN THE TQ:CTECHCON FIELD IS POPULATED
6142	THE TQ:CTECHTEL FIELD IS PROHIBITED WHEN THE TQ:CTECHCON FIELD IS NOT POPULATED

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
6143	THE TQ:CTECHCON FIELD IS REQUIRED WHEN THE FIRST POSITION OF THE ASR:TQ FIELD IS 'C'
6144	THE TQ:CTECHCON FIELD IS PROHIBITED UNLESS THE FIRST POSITION OF THE ASR:TQ FIELD IS 'C', 'M', OR 'X'
6145	THE VC:EP FIELD IS PROHIBITED UNLESS THE VC:PRID FIELD IS '3'
6147	THE VC:REP FIELD IS REQUIRED WHEN THE VC:EP FIELD IS POPULATED
6148	THE VC:REP FIELD IS PROHIBITED WHEN THE VC:EP FIELD IS NOT POPULATED
6151	ONLY ONE SALI:PI FIELD IS ALLOWED PER REQUEST, EXCEPT WHEN ORDERING RING SERVICE
6152	THE SALI:PI FIELD IS PROHIBITED UNLESS THE FIRST POSITION OF THE PRILOC FIELD ON THE EUSA, RING OR ARI FORM IS 'E'
6153	SALI:SANO IS PROHIBITED UNLESS SALI:SASN IS POPULATED AND SALI:AFT IS 'C'
6154	THE ASR:ACT FIELD MUST BE 'C' WHEN THE ASR:RQTYP(1) FIELD IS 'L' AND THE ASR:TQ FIELD IS POPULATED
6155	THE ASR:ACTI FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'M' AND THE ASR:ACT FIELD IS 'N' OR 'D'
6156	THE ASR:ACTI FIELD IS PROHIBITED WHEN THE ASR:RQTYP(1) FIELD IS NOT 'M' OR THE ASR:ACT FIELD IS NOT 'N' OR 'D'
6157	THE VALID VALUES FOR THE ASR:ACTI FIELD ARE 'A', 'B' OR 'C' WHEN THE ASR:RQTYP(1) FIELD IS 'M' AND THE ASR:ACT FIELD IS 'N'
6158	THE VALID VALUES FOR THE ASR:ACTI FIELD ARE 'D', 'E' OR 'F' WHEN THE ASR:RQTYP(1) FIELD IS 'M' AND THE ASR:ACT FIELD IS 'D'
6164	THE SECOND POSITION OF THE ASR:TQ FIELD MUST BE 'X' WHEN THE FIRST POSITION OF THE ASR:TQ FIELD IS 'E'
6165	THE FIRST POSITION OF THE ASR:RQTYP FIELD MUST BE 'L' AND THE ASR:ACT FIELD MUST BE 'C' WHEN THE FIRST POSITION OF THE ASR:TQ FIELD IS 'E'
6166	THE ASR:TQ FIELD IS PROHIBITED UNLESS (THE FIRST POSITION OF THE ASR:RQTYP FIELD IS 'M' AND THE ASR:ACT FIELD IS 'N' AND THE ASR:ACTI FIELD IS 'B' OR 'C') OR (THE FIRST POSITION OF THE ASR:RQTYP FIELD IS 'L' OR 'M' AND THE ASR:ACT FIELD IS 'C') OR (THE FIRST POSITION OF THE ASR:RQTYP FIELD IS 'M' AND THE ASR:ACT FIELD IS 'D' AND THE ASR:ACTI FIELD IS 'E')
6167	THE ASR:TQ FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'M', THE ASR:ACT FIELD IS 'N' AND THE ASR:ACTI FIELD IS 'B' OR 'C'
6168	INVALID ENTRY FOR THE ASR:TQ FIELD WHEN THE ASR:ACT FIELD IS 'N'
6169	THE ASR:ASCEC FIELD IS REQUIRED WHEN THE MULTI-EC FORM IS PROVIDED
6170	THE TRUNK:TTT FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'M' AND THE ASR:ACTI FIELD IS 'C'
6171	THE TRUNK:TRFTYP FIELD IS REQUIRED WHEN THE ASR:RQTYP (1) FIELD IS 'M'; AND THE ASR:ACT FIELD IS 'N' AND THE ASR:ACTI FIELD IS 'C'
6172	THE TRUNK:TRFTYP FIELD IS PROHIBITED IF THE ASR:RQTYP(1) FIELD IS NOT 'M' OR THE ASR:ACT FIELD IS NOT 'N' OR 'C' OR THE ASR:ACTI FIELD IS NOT 'B' OR 'C'
6173	THE TRUNK:CIC FIELD IS REQUIRED FOR FGB AND FGD REQUESTS WHEN THE ASR:ACTI FIELD IS 'C'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
6174	THE TRUNK:HBAN FIELD IS REQUIRED WHEN (THE ASR:UNE FIELD IS POPULATED), AND (THE ASR:ACT FIELD IS 'N') AND (THE ASR:LTP (1) FIELD IS 'B', 'D', 'E', 'F', 'L', 'M', 'N', 'P', 'Q' OR 'R')
6175	THE TRUNK:NC1 FIELD IS REQUIRED WHEN THE ASR:UNE FIELD IS NOT POPULATED AND THE ASR:LTP(1) FIELD IS 'B', 'C', 'D', 'E', 'L', 'M', 'P' OR 'Q' AND THE ASR:ACT FIELD IS 'N'
6176	THE TRUNK:NC1 FIELD IS REQUIRED WHEN THE ASR:UNE FIELD IS POPULATED AND THE ASR:LTP(1) FIELD IS 'B', 'C', 'D', 'E', 'L', 'M', 'N', 'P' OR 'Q' AND THE ASR:ACT FIELD IS 'N'
6177	THE TRUNK:NC1 FIELD IS PROHIBITED WHEN THE ASR:LTP(1) FIELD IS NOT 'B', 'C', 'D', 'E', 'L', 'M', 'N', 'P' OR 'Q' OR THE ASR:ACT FIELD IS NOT 'N' OR 'C'
6178	VALID VALUES FOR THE TRUNK:PCU FIELD ARE '1', '3', '5', '7', 'B', 'C' OR 'D' WHEN THE ASR:TQ(1) FIELD IS 'E'
6179	THE TQ:TTEST_TN FIELD IS REQUIRED WHEN THE ASR:TQ(1) FIELD IS 'B', 'U', 'D', 'T', 'L', 'M', 'W' OR 'X' AND THE ASR:ACT FIELD IS 'N' AND THE ASR:ACTI FIELD IS 'C' AND THE TQ:DIR FIELD IS '1O', '2O' or '2W'
6180	THE TQ:TTEST_TN FIELD IS PROHIBITED UNLESS (THE ASR:TQ(1) FIELD IS 'B', 'U', 'D', 'T', 'L', 'M', 'W' OR 'X' AND THE ASR:ACT FIELD IS 'N' AND THE ASR:ACTI FIELD IS 'C' AND THE TQ:DIR FIELD IS '1O', '2O' OR '2W') OR (THE ASR:TQ(1) FIELD IS 'B', 'U', 'D', 'T', 'L', 'M', 'W' OR 'X', THE ASR:ACT FIELD IS 'C', AND THE TQ:DIR FIELD IS '1O', '2O' OR '2W')
6181	THE TQ:TTEST_RESP FIELD IS REQUIRED WHEN THE TQ:TTEST_TN FIELD IS POPULATED
6182	THE TQ:TTEST_RESP FIELD IS PROHIBITED WHEN THE TQ:TTEST_TN FIELD IS NOT POPULATED
6184	THE TQ:TTESTTN_IC FIELD IS REQUIRED WHEN THE ASR:TQ(1) FIELD IS 'C'
6185	THE TQ:TTESTTN_IC FIELD IS PROHIBITED WHEN THE ASR:TQ(1) FIELD IS NOT 'C' OR 'E'
6186	THE TQ:TTESTRESP_IC FIELD IS REQUIRED WHEN THE TQ:TTESTTN_IC FIELD IS POPULATED
6187	THE TQ:TTESTRESP_IC FIELD IS PROHIBITED WHEN THE TQ:TTESTTN_IC FIELD IS NOT POPULATED
6188	THE TQ:CNPANXX FIELD IS PROHIBITED UNLESS THE (ASR:TQ(1) FIELD IS 'C') OR (ASR:TQ(1) FIELD IS 'M' OR 'X' AND THE TQ:DIR FIELD IS '1O', '2O' OR '2W') OR (THE ASR:TQ(1) FIELD IS 'E' AND THE FGBCD:PCU FIELD IS '1', '3', '5', '7', 'B', 'C' OR 'D') OR (THE ASR:TQ(1) FIELD IS 'M' OR 'X' AND THE TQ:DIR FIELD IS '1T' or '2T')
6190	THE SALI:ALCONTEL FIELD IS REQUIRED WHEN THE SALI:ALCON FIELD IS POPULATED
6191	THE SALI:ALCONTEL FIELD IS PROHIBITED WHEN THE SALI:ALCON FIELD IS NOT POPULATED

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
6192	THE TQ FORM IS PROHIBITED WHEN THE ASR:TQ(1) FIELD IS 'A', '1', '2', '3', '4', '5', '6', '7', '8' OR '9'
6194	THE TRANS:CPT FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
6196	THE TRUNK:CPT FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
6199	THE TQ FORM IS PROHIBITED WHEN THE ASR:TQ(1) FIELD IS 'A', '1', '2', '3', '4', '5', '6', '7', '8', '9' OR IS NOT POPULATED
6200	THE TRUNK:QACI FIELD IS PROHIBITED UNLESS THE ASR:RQTYP(1) FIELD IS 'M' AND THE ASR:AFO(1) FIELD IS 'Y'
6201	THE MSL:ORD FIELD IS PROHIBITED IF THE ASR:SUP FIELD IS NOT '1', '2' OR '3' OR A CONFIRMATION NOTIFICATION HAS NOT BEEN RECEIVED
6202	THE TQ:CNPANXX FIELD IS REQUIRED WHEN THE ASR:TQ(1) FIELD IS 'M' OR 'X' AND THE TQ:DIR FIELD IS '10', '20' OR '2W'
6203	THE SALI:REN FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'R'
6204	THE SALI:NCON FIELD IS PROHIBITED UNLESS (THE SALI:PI FIELD IS 'Y' AND THE EUSA:PRI_LOC FIELD IS 'E') OR THE RING:PRILOC FIELD IS 'E' OR (ARI:PRILOC FIELD IS 'E') OR (THE SALI:PI FIELD IS BLANK AND EITHER THE TRANS:SECLOC OR THE EUSA:SEC_LOC FIELD IS 'E') OR (THE SALI:PI FIELD IS BLANK AND THE MSL:SECLOC FIELD IS 'E') OR (THE SALI:PI FIELD IS BLANK AND THE WAL:SECLOC FIELD IS 'E')
6206	THE SALI:JS FIELD IS PROHIBITED UNLESS (THE ASR:ACT FIELD IS 'N' OR 'T', THE SALI:PCA FIELD IS NOT POPULATED, THE SALI:EUNAME FIELD IS POPULATED, AND THE SALI:SI FIELD IS NOT 'C') OR (THE RESPECTIVE MSL:LEGACT FIELD IS 'N', THE SALI:PCA FIELD IS NOT POPULATED, THE SALI:EUNAME FIELD IS POPULATED, AND THE SALI:SI FIELD IS NOT 'C') OR (THE ASR:ACT FIELD IS 'C', 'D', OR 'M' AND THE SALI:PCA FIELD IS NOT POPULATED AND THE SALI:EUNAME FIELD IS POPULATED AND THE SALI:SI FIELD IS NOT 'C') OR (THE RESPECTIVE MSL:LEGACT FIELD IS 'C', 'D', 'M' OR 'K' AND THE SALI:PCA FIELD IS NOT POPULATED AND THE SALI:EUNAME FIELD IS POPULATED AND THE SALI:SI FIELD IS NOT 'C')
6207	THE VC:RCIR FIELD IS PROHIBITED UNLESS THE VC:VST FIELD IS 'B' AND THE VC:VCACT FIELD IS 'N', 'C' OR 'R'
6249	THE FIRST 8 POSITIONS OF THE 'A' LOCATION OR THE 'Z' LOCATION OF THE TRANS:CFA FIELD MUST MATCH THE FIRST 8 POSITIONS OF THE ASR:ACTL FIELD FOR VERIZON ICSCs WHEN THE ASR:RQTYP(1) FIELD IS 'S' OR 'V', THE ASR:ACT FIELD IS 'N', 'M', 'T' OR 'C' AND THE FIRST 6 POSITIONS OF THE ASR:PROJECT FIELD ARE NOT 'SPUNE1'
6260	THE LENGTH OF THE TRANS:SECLOC FIELD MUST BE '9' OR '12' CHARACTERS WHEN THE TRANS:SECLOC(1) FIELD IS 'C'
6261	THE SALI FORM IS REQUIRED WHEN THE TRANS:SECLOC FIELD IS "E"
6267	IF THE FIRST POSITION OF THE ASR:TQ FIELD IS 'A', 'B', 'D', 'S', 'T', 'U', OR '1-9', THEN THE ASR:CC AND/OR ASR:WST FIELDS ARE PROHIBITED
6269	THE TRUNK:PSAP FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', THE TRUNK:TRFTYP FIELD IS 'E9' AND THE ASR:ACTI FIELD IS 'A', 'B', or 'C'
6270	THE TRUNK:ESN FIELD IS REQUIRED WHEN THE TRUNK:PSAP FIELD IS POPULATED

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
6271	THE TRUNK:ESN FIELD IS PROHIBITED WHEN THE TRUNK:PSAP FIELD IS NOT POPULATED
6272	THE TRUNK:CSL FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D', 'M' OR 'R'
6273	THE MSL AND NAI FORMS ARE MUTUALLY EXCLUSIVE
6274	THE NAI:ANCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C' OR 'R'; AND THE NAI:AACTL FIELD IS POPULATED
6275	THE NAI:ANCI FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N' OR 'C' AND THE NAI:AACTL FIELD IS POPULATED
6276	THE NAI:VTIA FIELD IS PROHIBITED UNLESS THE NAI:DPEAA FIELD IS POPULATED AND THE COMPLEMENT TWO ELEMENT IS NOT POPULATED
6277	THE NAI:FNIA FIELD IS PROHIBITED UNLESS THE NAI:DPEAA FIELD IS POPULATED
6278	THE NAI:VTIZ FIELD IS PROHIBITED UNLESS THE NAI:DPEAZ FIELD IS POPULATED AND THE COMPLEMENT TWO ELEMENT IS NOT POPULATED
6279	THE NAI:FNIZ FIELD IS PROHIBITED UNLESS THE NAI:DPEAZ FIELD IS POPULATED
6284	THE ASR:QNAI FIELD IS REQUIRED WHEN THE ASR:AFO(3) FIELD IS 'Y'
6285	THE ASR:QNAI FIELD IS PROHIBITED WHEN THE ASR:AFO(3) FIELD IS NOT 'Y'
6294	THE NAI CIRCUIT AGGREGATE IS PROHIBITED FOR THE REFNUM BEING CANCELLED
6296	THE ASR:FNT FIELD IS PROHIBITED WHEN THE ASR:FNI FIELD IS NOT POPULATED
6297	THE ASR:BILLCON_EMAIL FIELD IS PROHIBITED WHEN THE ASR:BILLCON FIELD IS NOT POPULATED
6299	THE TRANS:OTC FIELD IS REQUIRED WHEN THE ASR:ASCEC FIELD IS POPULATED AND THE TRANS:CKLT FIELD IS BLANK
6300	THE TRANS:OTC FIELD IS PROHIBITED UNLESS THE ASR:ASCEC FIELD IS POPULATED
6301	AN ENTRY OF '3' IN THE TRANS:DIR FIELD IS ONLY VALID WHEN THE ASR:FNT FIELD IS 'B'
6302	THE TRANS:CPT FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND THE ASR:FNT FIELD IS 'A'
6303	AN ENTRY OF '3' IN THE TRANS:SDIR FIELD IS ONLY VALID WHEN THE ASR:FNT FIELD IS 'B'
6304	THE TRANS:PRIADM FIELD IS PROHIBITED UNLESS THE ASR:FNT FIELD IS POPULATED, THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND THE ASR:UNE FIELD IS NOT POPULATED
6305	THE TRANS:SECADM FIELD IS PROHIBITED UNLESS THE ASR:FNT FIELD IS POPULATED, THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND THE ASR:UNE FIELD IS NOT POPULATED
6308	AN ENTRY OF '3' IN THE EUSA:PRI_DIR FIELD IS ONLY VALID WHEN THE ASR:FNT FIELD IS 'B'
6309	THE EUSA:PRI_CPT FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND THE ASR:FNT FIELD IS 'A'
6311	AN ENTRY OF '3' IN THE EUSA:SEC_DIR FIELD IS ONLY VALID WHEN THE ASR:FNT FIELD IS 'B'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
6313	THE TRUNK:PRIADM FIELD IS PROHIBITED UNLESS THE ASR:FNT FIELD IS POPULATED, THE ASR:ACT FIELD IS 'N' OR 'C' AND THE ASR:UNE FIELD IS NOT POPULATED
6314	THE TRUNK:SECADM FIELD IS PROHIBITED UNLESS THE ASR:FNT FIELD IS POPULATED, THE ASR:ACT FIELD IS 'N' OR 'C' AND THE ASR:UNE FIELD IS NOT POPULATED
6315	THE TRUNK:CPT FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N' OR 'C' AND THE ASR:FNT FIELD IS 'A'
6316	THE ASR:FNT FIELD IS REQUIRED WHEN THE ASR:FNI FIELD IS POPULATED
6317	ACI:DIR IS PROHIBITED UNLESS THE TRANS:PRIADM OR THE EUSA:PRIADM OR THE TRUNK:PRIADM OR THE ACI:CFA IS POPULATED
6318	AN ENTRY OF '3' IN THE ACI:DIR FIELD IS ONLY VALID WHEN THE ASR:FNT FIELD IS 'B'
6319	THE ACI:CPT FIELD IS PROHIBITED UNLESS THE ASR:ACT FIELD IS 'N', 'C' OR 'T' AND THE ASR:FNT FIELD IS 'A'
6320	ACI:SDIR IS PROHIBITED UNLESS THE TRANS:SECADM OR THE EUSA:SECADM OR THE TRUNK:SECADM OR THE ACI:SCFA IS POPULATED
6321	AN ENTRY OF '3' IN THE ACI:SDIR FIELD IS ONLY VALID WHEN THE ASR:FNT FIELD IS 'B'
6322	THE MSL:OTC FIELD IS PROHIBITED UNLESS THE ASR:ASCEC FIELD IS POPULATED
6323	THE RING:PORTS FIELD IS PROHIBITED WHEN THE PORTS_CONFIG:PQPR FIELD IS POPULATED
6325	THE RING:PRILOC_OTC FIELD IS REQUIRED WHEN THE ASR:ASCEC FIELD IS POPULATED AND THE ASR:QTY FIELD IS '1'
6326	THE RING:PRILOC_OTC FIELD IS PROHIBITED UNLESS THE ASR:ASCEC FIELD IS POPULATED AND THE ASR:QTY FIELD IS '1' OR GREATER THAN '1'
6327	THE ARI:PORTS FIELD IS PROHIBITED WHEN THE PORTS_CONFIG:PQPR FIELD IS POPULATED
6328	THE ARI:PRILOC_OTC FIELD IS PROHIBITED WHEN THE ASR:ASCEC FIELD IS NOT POPULATED
6329	THE NAI:DIR1 FIELD IS PROHIBITED WHEN THE NAI:ICFA1 FIELD IS NOT POPULATED OR THE CFA FIELD IN THE TRANSPORT, TRUNK, EUSA, RING AND ARI FORMS IS NOT POPULATED
6330	AN ENTRY OF '3' IN THE NAI:DIR1 FIELD IS ONLY VALID WHEN THE ASR:FNT FIELD IS 'B'
6331	THE NAI:DIR2 FIELD IS PROHIBITED WHEN THE NAI:ICFA2 FIELD IS NOT POPULATED OR THE CFA FIELD IN THE TRANSPORT, TRUNK, EUSA, RING OR ARI FORM IS NOT POPULATED
6332	AN ENTRY OF '3' IN THE NAI:DIR2 FIELD IS ONLY VALID WHEN THE ASR:FNT FIELD IS 'B'
6333	THE NAI:DIR3 FIELD IS PROHIBITED WHEN THE NAI:ICFA3 FIELD IS NOT POPULATED OR THE CFA FIELD IN THE TRANSPORT, TRUNK, EUSA, RING OR ARI FORM IS NOT POPULATED
6334	AN ENTRY OF '3' IN THE NAI:DIR3 FIELD IS ONLY VALID WHEN THE ASR:FNT FIELD IS 'B'
6335	THE NAI:DIR4 FIELD IS PROHIBITED WHEN THE NAI:ICFA4 FIELD IS NOT POPULATED OR THE CFA FIELD IN THE TRANSPORT, TRUNK, EUSA, RING OR ARI FORM IS NOT POPULATED

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
6336	AN ENTRY OF '3' IN THE NAI:DIR4 FIELD IS ONLY VALID WHEN THE ASR:FNT FIELD IS 'B'
6337	VALID ENTRIES OF 'A', 'B', 'C' OR 'D' IN THE TQ:TGTYP FIELD REQUIRE AN ENTRY IN THE TQ:ALTREF AND TQ:FACT (ALT REF) FIELDS
6340	INVALID FORMAT FOR THE TRUNK:ESN FIELD - FIELD SHOULD BE 5 NUMERICS WITH LEADING ZEROES
6341	THE ASR:AFO(3) FIELD MUST BE 'Y' IF THE NAI FORM IS POPULATED
6346	VALID VALUES FOR THE ASR:RTR FIELD ARE 'F' OR 'N' WHEN THE ASR:ACT FIELD IS 'D'
6347	THE ASR:TQ FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'M', THE ASR:ACT FIELD IS 'D' AND THE ASR:ACTI FIELD IS 'E'
6349	THE FIRST POSITION OF THE ASR:RQTYP FIELD MUST BE 'M' AND THE ASR:ACT FIELD MUST BE 'C' WHEN THE FIRST POSITION OF THE ASR:TQ FIELD IS 'C'
6350	THE ASR:DSGFL FIELD IS PROHIBITED WHEN THE ASR:DSGSTR FIELD IS NOT POPULATED
6351	THE ASR:DSGRM FIELD IS PROHIBITED WHEN THE ASR:DSGSTR FIELD IS NOT POPULATED
6352	THE ASR:DSGCTY FIELD IS REQUIRED WHEN THE ASR:DSGSTR FIELD IS POPULATED
6353	THE ASR:DSGCTY FIELD IS PROHIBITED WHEN THE ASR:DSGSTR FIELD IS NOT POPULATED
6354	THE ASR:DSGST FIELD IS REQUIRED WHEN THE ASR:DSGSTR FIELD IS POPULATED
6355	THE ASR:DSGST FIELD IS PROHIBITED WHEN THE ASR:DSGSTR FIELD IS NOT POPULATED
6356	THE ASR:DSGZIP FIELD IS REQUIRED WHEN THE ASR:DSGSTR FIELD IS POPULATED
6357	THE ASR:DSGZIP FIELD IS PROHIBITED WHEN THE ASR:DSGSTR FIELD IS NOT POPULATED
6358	THE EUSA:PRI_OTC FIELD IS PROHIBITED WHEN THE ASR:ASCEC FIELD IS NOT POPULATED
6359	THE EUSA:PRI_OTC FIELD IS REQUIRED WHEN THE ASR:ASCEC FIELD IS POPULATED AND THE EUSA:CKLT FIELD IS NOT POPULATED AND THE EUSA:SEC_OTC FIELD IS NOT POPULATED
6360	THE EUSA:SEC_OTC FIELD IS PROHIBITED WHEN THE ASR:ASCEC FIELD IS NOT POPULATED
6361	THE EUSA:SEC_OTC FIELD IS REQUIRED WHEN THE ASR:ASCEC FIELD IS POPULATED AND THE EUSA:CKLT FIELD IS NOT POPULATED AND THE EUSA:PRI_OTC FIELD IS NOT POPULATED
6362	THE TRUNK:CST FIELD IS REQUIRED WHEN THE TRUNK:CSL FIELD IS POPULATED
6363	THE TRUNK:CST FIELD IS PROHIBITED WHEN THE TRUNK:CSL FIELD IS NOT POPULATED
6364	THE TQ:INTRA FIELD IS REQUIRED WHEN THE TQ:TGACT FIELD IS 'N', 'C', OR 'R' AND THE ASR:CC AND ASR:WST FIELDS ARE NOT POPULATED
6365	THE TQ:INTRA FIELD IS PROHIBITED UNLESS (THE TQ:TGACT FIELD IS 'N', 'C', OR 'R' AND THE ASR:CC AND ASR:WST FIELDS ARE NOT POPULATED) OR (THE TQ:TGACT FIELD IS 'K')

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
6366	THE TQ:INTER FIELD IS REQUIRED WHEN THE TQ:TGACT FIELD IS 'N', 'C', OR 'R' AND THE ASR:CC AND ASR:WST FIELDS ARE NOT POPULATED
6367	THE TQ:INTER FIELD IS PROHIBITED UNLESS (THE TQ:TGACT FIELD IS 'N', 'C', OR 'R' AND THE ASR:CC AND ASR:WST FIELDS ARE NOT POPULATED) OR (THE TQ:TGACT FIELD IS 'K')
ACI1	THE TEN-THOUSAND DIGIT SHOULD ALWAYS BE ZERO
ACI2	THE ACI:ISDNSEQ FIELD IS REQUIRED FOR ISDN PRI SERVIE WHEN THE ASR:ACT FIELD IS 'N' OR 'C', THE ASR:NOR FIELD IS GREATER THAN ZERO AND THE SALI:SI FIELD IS 'C';
AR1	THE LENGTH OF THE ARI:PRILOC FIELD MUST BE '9' OR '12' CHARACTERS WHEN THE ARI:PRILOC(1) FIELD IS 'C'
AR2	THE ARI:PRILOC_SPOT FIELD MUST BE EXACTLY '8' OR '11' CHARACTERS
AR3	THE LENGTH OF THE ARI:SECLOC FIELD MUST BE '9' OR '12' CHARACTERS WHEN THE ARI:SECLOC(1) FIELD IS 'C'
AR4	THE ARI:SECLOC_SPOT FIELD MUST BE EXACTLY '8' OR '11' CHARACTERS
AR5	THE ARI:SEGACT FIELD MUST BE 'N', 'C', 'D', OR 'R'; WHEN THE ASR:ACT FIELD IS 'C';
AR6	THE ARI:SPEC FIELD MUST BE POPULATED WITH ANY ALPHA CHARACTER EXCEPT 'I' OR ANY NUMERIC CHARACTER EXCEPT '0';
BRMS1017	Invalid Servicetype, the Valid Servicetype is TRANSPORT_SVC
BRMS1018	Invalid Servicetype, the Valid Servicetype is TRANSPORT_VC_SVC
BRMS1019	Invalid Servicetype, the Valid Servicetype is END_USER_SA_SVC
BRMS1020	Invalid Servicetype, the Valid Servicetype is END_USER_VC_SVC
BRMS1021	Invalid Servicetype, the Valid Servicetype is FEATURE_GROUP_A_SVC
BRMS1022	Invalid Servicetype, the Valid Servicetype is MESSAGETRUNK_SVC
BRMS1023	Invalid Servicetype, the Valid Servicetype is SS7_LINK_SVC
BRMS1024	Invalid Servicetype, the Valid Servicetype is RING_SVC
BRMS1025	Invalid Servicetype, the Valid Servicetype is WATS_SVC
BRMS1055	Invalid Servicetype, the Valid Servicetype is ETHERNET_VC_SVC
BRMS1060	NETWORKCHANNELCODE TABLE IS NOT LOADED - PLEASE REQUEST YOUR SYSTEM ADMINISTRATOR TO LOAD THE TABLE
BRMS1061	NETWORKCHANNELINTERFACECODE TABLE IS NOT LOADED - PLEASE REQUEST YOUR SYSTEM ADMINISTRATOR TO LOAD THE TABLE
BRMS1062	SERVICECENTRECODE TABLE IS NOT LOADED - PLEASE REQUEST YOUR SYSTEM ADMINISTRATOR TO LOAD THE TABLE
BRMS1063	COMMONLANGUAGELOCATIONCODE TABLE IS NOT LOADED - PLEASE REQUEST YOUR SYSTEM ADMINISTRATOR TO LOAD THE TABLE
EO1	VALID ENTRY OF K IS PROHIBITED ON THE INITIAL SUBMISSION OF THE 'EOD'
EU1	THE EUSA:NVC FIELD MUST BE EQUAL TO THE NUMBER OF CIRCUITS ON THE VC FORM
EU2	THE EUSA:CKLT FIELD MUST BE EXACTLY '8' OR '11' CHARACTERS
EU3	THE LENGTH OF THE EUSA:PRI_LOC FIELD MUST BE '9' OR '12' CHARACTERS WHEN THE EUSA:PRI_LOC(1) FIELD IS 'C'
EU4	THE LENGTH OF THE EUSA:SEC_LOC FIELD MUST BE '9' OR '12' CHARACTERS WHEN THE EUSA:SEC_LOC(1) FIELD IS 'C'
EU5	THE EUSA:SMUXLOC FIELD IS PROHIBITED WHEN THE EUSA:CFA FIELD IS NOT POPULATED

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
EU6	THE EUSA:MUXLOC FIELD IS REQUIRED WHEN UTILIZING MULTIPLEXING SERVICES AND THE ASR:ACT FIELD IS 'N', 'C' OR 'T';
EU7	THE EUSA:SMUXLOC FIELD IS REQUIRED WHEN UTILIZING MULTIPLEXING SERVICES AND THE ASR:ACT FIELD IS 'N', 'C' OR 'T';
EV01	UREFs THAT WERE CANCELLED IN A PREVIOUS VERSION SHOULD NO LONGER BE SENT ON SUBSEQUENT VERSIONS/SUPPLEMENTS
EV02	THE EVC:EVCNUM FIELD IS REQUIRED
EV03	THE EVC:NC FIELD WAS NOT FOUND IN THE NETWORK CHANNEL CODE TABLE
EV04	THE EVC:NC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', OR 'R';
EV05	THE EVC:EVCID FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'C', 'D', OR 'R';
EV06	NUMBER OF DELIMITED FIELDS FOR THE EVC:EVCID SHOULD BE 5
EV07	FIRST DELIMITED FIELD OF THE EVC:EVCID SHOULD BE 1-2 ALPHANUMERICS
EV08	THE SECOND DELIMITED FIELD OF THE EVC:EVCID SHOULD BE 4 ALPHANUMERICS
EV09	THE THIRD DELIMITED FIELD OF THE EVC:EVCID SHOULD BE 1-6 NUMERICS
EV10	THE FOURTH DELIMITED FIELD OF THE EVC:EVCID SHOULD BE 2-4 ALPHAS
EV11	THE FIFTH DELIMITED FIELD OF THE EVC:EVCID SHOULD BE 1-3 ALPHANUMERICS
EV12	THE EVC:NUT FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D';
EV13	THE EVC:NUT FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS NOT 'D';
EV14	THE EVC:UREF FIELD MUST BE CONSECUTIVELY ASSIGNED STARTING WITH '01';
EV15	THE EVC:UREF FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'D';
EV16	THE EVC:UREF FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS NOT 'D';
EV17	THE EVC:UACT FIELD IS REQUIRED WHEN THE EVC:UREF FIELD IS POPULATED
EV18	THE EVC:UACT FIELD IS PROHIBITED WHEN THE EVC:UREF FIELD IS NOT POPULATED
EV19	THE EVC:RPON FIELD IS REQUIRED WHEN THE EVC:UREF FIELD IS POPULATED AND THE EVC:RUID FIELD IS NOT POPULATED
EV20	EVC:UACT of "K" IS NOT PERMITTED ON INITIAL ISSUANCE OF REQUEST
EV21	THE EVC:NCI FIELD WAS NOT FOUND IN THE NETWORK CHANNEL INTERFACE CODE TABLE
EV22	THE EVC:NCI FIELD IS REQUIRED WHEN THE EVC:UACT FIELD IS 'N', 'C' OR 'R';
EV23	THE EVC:L2CP FIELD IS PROHIBITED WHEN THE EVC:UREF FIELD IS NOT POPULATED
EV24	THE EVC:EVCSP FIELD WAS NOT FOUND IN THE LOCATION TABLE
EV25	THE EVC:EVCSP FIELD IS REQUIRED WHEN THE EVC:UACT FIELD IS 'N', 'C' OR 'R';

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
EV26	THE EVC:CE_VLAN FIELD IS REQUIRED WHEN THE EVC:UACT FIELD IS 'C', 'D' OR 'R';
EV27	THE EVC:RUID FIELD IS REQUIRED WHEN THE EVC:UREF FIELD IS POPULATED AND THE EVC:RPON FIELD IS NOT POPULATED
EV28	THE EVC:LREF FIELD IS REQUIRED WHEN THE EVC:UACT FIELD IS 'C', 'N' OR 'R';
EV29	THE EVC:LREF FIELD IS PROHIBITED WHEN THE EVC:UACT FIELD IS NOT 'C', 'N', 'R' OR 'K';
EV30	THE EVC:LREF FIELD MUST BE CONSECUTIVELY ASSIGNED STARTING WITH '1';
EV31	THE EVC:LOSACT FIELD IS REQUIRED WHEN THE EVC:LREF FIELD IS POPULATED
EV32	THE EVC:LOSACT FIELD IS PROHIBITED WHEN THE EVC:LREF FIELD IS NOT POPULATED
EV33	VALID ENTRY OF 'K' IS NOT ALLOWED ON INITIAL REQUESTS
EV34	THE EVC:LOS FIELD IS REQUIRED WHEN THE EVC:LREF FIELD IS POPULATED AND THE EVC:SPEC FIELD IS NOT POPULATED
EV35	THE EVC:LOS FIELD IS PROHIBITED UNLESS THE EVC:LREF FIELD IS POPULATED AND THE EVC:SPEC FIELD IS NOT POPULATED
EV36	THE EVC:SPEC FIELD IS REQUIRED WHEN THE EVC:LREF FIELD IS POPULATED AND THE EVC:LOS FIELD IS NOT POPULATED
EV37	THE EVC:SPEC FIELD IS PROHIBITED UNLESS THE EVC:LREF FIELD IS POPULATED AND THE EVC:LOS FIELD IS NOT POPULATED
EV38	THE EVC:BDW FIELD IS REQUIRED WHEN THE EVC:LOSACT FIELD IS 'C' OR 'N';
EV39	THE LAST CHARACTER OF THE EVC:BDW FIELD SHOULD BE 'K', 'M' OR 'G';
EV40	WHEN THE EVC:DSCP FIELD IS POPULATED, ALL SIX POSITIONS MUST CONTAIN A '0' OR A '1';
EV41	THE EVC:DSCP FIELD IS PROHIBITED UNLESS THE EVC:LREF FIELD IS POPULATED AND THE EVC:TOS FIELD IS NOT POPULATED
EV42	WHEN THE EVC:TOS FIELD IS POPULATED, THE FIRST SIX POSITIONS MUST CONTAIN A '0' OR A '1';
EV43	POSITIONS 7 AND 8 OF THE EVC:TOS FIELD ARE RESERVED FOR FUTURE USE
EV44	THE EVC:TOS FIELD IS PROHIBITED UNLESS THE EVC:LREF FIELD IS POPULATED AND THE EVC:DSCP FIELD IS NOT POPULATED
EV45	THE EVC:NUT FIELD MUST EQUAL THE NUMBER OF UNI_MAPPING OCCURRENCES
EV46	ALL FIELDS OF THE UNI_MAPPING SECTION FOR ACTIVE EVC:UREF= [VALUE]* CANNOT BE ALTERED
EV47	THE EVC:UREF FIELD MUST BE UNIQUE
EV48	THE EVC:S_VLAN FIELD IS REQUIRED WHEN THE ASSOCIATED EVC:UACT FIELD IS "C" AND THE ASSOCIATED EVC:S_VLAN_IND IS "Y"
EV50	THE EVC:CE_VLAN FIELD IS PROHIBITED WHEN THE ASSOCIATED NCI CODE SPECIFIES ANYTHING OTHER THAN A VLAN BASED MAP
EV51	THE EVC:P_BIT FIELD IS REQUIRED WHEN THE ASSOCIATED EVC:LREF FIELD IS POPULATED AND THE ASSOCIATED EVC:NCI FIELD SPECIFIES A P-BIT BASED MAP

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
EV52	THE EVC:P_BIT FIELD IS PROHIBITED UNLESS THE ASSOCIATED EVC:LREF FIELD IS POPULATED AND THE ASSOCIATED EVC:NCI FIELD SPECIFIES A P-BIT BASED MAP
G001	Invalid data type - this field requires a valid numeric value
G002	Invalid data type - this field requires a valid alpha value
G003	The length of this field is invalid
G004	The format of this field is invalid
G005	This field is prohibited
G006	This field is required
G007	This field contains invalid values
G009	Feature Group A form is required for this service type
G011	WATS Access Line form is required for this service type
G013	TRUNKING form is required for this service type
G015	Transport form is required for this service type
G017	MSL form is required for this service type
G018	MSL form is prohibited for this service type
G020	ACI form is prohibited for this service type
G022	TSR form is prohibited for this service type
G023	EUSA form is required for this service type
G025	EOD form is required for this service type
G026	EOD form is prohibited for this service type
G028	SALI form is prohibited for this service type
G031	TQ form is required for this service type
G032	TQ form is prohibited for this service type
G033	RING form is required for this service type
G040	NAI form is prohibited for this service type
G042	ECI form is prohibited for this service type
G044	Ports Configuration form is prohibited for this service type
G045	Invalid Service Type field
M1	THE MSL:CKLT FIELD MUST BE EXACTLY '8' OR '11' CHARACTERS
M2	THE LENGTH OF THE MSL:SECLOC FIELD MUST BE '9' OR '12' CHARACTERS WHEN THE MSL:SECLOC(1) FIELD IS 'C'
M4	THE MSL:GTEL FIELD SHOULD BE 10 OR 14 NUMERICS
MU1	THE MULTIEC:ICSC FIELD WAS NOT FOUND IN THE ICSC TABLE
MU2	THE MULTIEC:OEC_PNUM FIELD IS REQUIRED WHEN THE ASSOCIATED MULTIEC:ICSC FIELD IS POPULATED
MU3	THE MULTIEC:OEC_PNUM FIELD IS PROHIBITED WHEN THE ASSOCIATED MULTIEC:ICSC FIELD IS NOT POPULATED
MU4	THE MULTIEC:OEC_PSD FIELD IS PROHIBITED WHEN THE ASSOCIATED MULTIEC:OEC_PNUM FIELD IS NOT POPULATED
NA1	THE NAI:AFACFL FIELD IS PROHIBITED WHEN THE ASR:RQTYP(1) FIELD IS NOT 'M'
NA10	INVALID FORMAT FOR THE NAI:ICFA1 FIELD
NA11	THE 'A' LOCATION OF THE NAI:ICFA1 FIELD WAS NOT FOUND IN THE LOCATION TABLE
NA12	THE 'Z' LOCATION OF THE NAI:ICFA1 FIELD WAS NOT FOUND IN THE LOCATION TABLE
NA13	INVALID FORMAT FOR THE NAI:ICFA2 FIELD
NA14	THE 'A' LOCATION OF THE NAI:ICFA2 FIELD WAS NOT FOUND IN THE LOCATION TABLE

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
NA15	THE 'Z' LOCATION OF THE NAI:ICFA2 FIELD WAS NOT FOUND IN THE LOCATION TABLE
NA16	INVALID FORMAT FOR THE NAI:ICFA3 FIELD
NA17	THE 'A' LOCATION OF THE NAI:ICFA3 FIELD WAS NOT FOUND IN THE LOCATION TABLE
NA18	THE 'Z' LOCATION OF THE NAI:ICFA3 FIELD WAS NOT FOUND IN THE LOCATION TABLE
NA19	INVALID FORMAT FOR THE NAI:ICFA4 FIELD
NA2	THE ICFA2 FIELD IS PROHIBITED WHEN THE ICFA1 FIELD IS NOT POPULATED
NA20	THE 'A' LOCATION OF THE NAI:ICFA4 FIELD WAS NOT FOUND IN THE LOCATION TABLE
NA21	THE 'Z' LOCATION OF THE NAI:ICFA4 FIELD WAS NOT FOUND IN THE LOCATION TABLE
NA3	THE ICFA3 FIELD IS PROHIBITED WHEN THE ICFA2 FIELD IS NOT POPULATED
NA4	THE ICFA4 FIELD IS PROHIBITED WHEN THE ICFA3 FIELD IS NOT POPULATED
NA7	INVALID FORMAT FOR THE NAI:ACFA FIELD
NA8	THE 'A' LOCATION OF THE NAI:ACFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
NA9	THE 'Z' LOCATION OF THE NAI:ACFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
NAI5	INVALID FORMAT FOR THE NAI:DPEAA FIELD
NAI6	INVALID FORMAT FOR THE NAI:DPEAA FIELD
P001	THE PORTS_CONFIG AND MSL FORMS ARE MUTUALLY EXCLUSIVE
P002	THE PORTS_CONFIG:PI FIELD IS REQUIRED WHEN THE FIRST POSITION OF THE PRILOC FIELD IN THE EUSA, RING OR ARI FORM IS 'E'
P003	THE PORTS_CONFIG:PI FIELD IS PROHIBITED WHEN THE FIRST POSITION OF THE PRILOC FIELD IN THE EUSA, RING AND ARI FORM IS NOT 'E'
P004	VALID VALUE FOR THE PORTS_CONFIG:PI FIELD IS 'Y'
P005	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE TRUNK:FACTL FIELD IS NOT POPULATED
P006	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE ASR:REQTYP (1) FIELD IS 'V'
P007	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M', 'T' or 'R'
P008	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE TRANSPORT:NCI (3-4) ARE 'SM', 'SN', 'SP' OR 'SQ' OR TRANSPORT:NCI (5) IS NOT 'F'
P009	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE TRANSPORT:NSL FIELD IS POPULATED
P010	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE ASR:REQTYP (1) FIELD IS 'X'
P011	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M', 'T' or 'R'
P012	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE EUSA:NCI (3-4) ARE 'SM', 'SN', 'SP' OR 'SQ' OR EUSA:NCI (5) IS NOT 'F'
P013	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'R'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
P014	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE RING:NCI (3-4) ARE 'SM', 'SN', 'SP' OR 'SQ' OR RING:NCI (5) IS NOT 'F'
P015	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE RING:PORTS FIELD IS POPULATED
P016	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE ARI:NCI (3-4) ARE 'SM', 'SN', 'SP' OR 'SQ' OR ARI:NCI (5) IS NOT 'F'
P017	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE ARI:PORTS FIELD IS POPULATED
P018	THE VALID VALUES FOR THE PORTS_CONFIG:PQPR FIELD ARE 01 - 99
P019	THE PORTS_CONFIG:QPR FIELD IS PROHIBITED WHEN THE ASR:REQTYP (1) FIELD IS 'V'
P020	THE PORTS_CONFIG:QPR FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M', 'T' or 'R'
P021	THE PORTS_CONFIG:QPR FIELD IS PROHIBITED WHEN THE TRANSPORT:SECNCI (3-4) ARE 'SM', 'SN', 'SP' OR 'SQ' OR THE TRANSPORT:SECNCI (5) FIELD IS NOT 'F'
P022	THE PORTS_CONFIG:QPR FIELD IS PROHIBITED WHEN THE TRANSPORT:NSL FIELD IS POPULATED
P023	THE PORTS_CONFIG:QPR FIELD IS PROHIBITED WHEN THE ASR:REQTYP (1) FIELD IS 'X'
P024	THE PORTS_CONFIG:QPR FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M', 'T' or 'R'
P025	THE PORTS_CONFIG:QPR FIELD IS PROHIBITED WHEN THE EUSA:SECNCI (3-4) ARE 'SM', 'SN', 'SP' OR 'SQ' OR EUSA:SECNCI (5) IS NOT 'F'
P026	THE VALID VALUES FOR THE PORTS_CONFIG:QPR FIELD ARE 01 - 99
P027	THE PORTS_CONFIG:PREF FIELD IS REQUIRED
P028	THE VALID VALUES FOR THE PORTS_CONFIG:PREF FIELD ARE 01 - 99
P029	THE PORTS_CONFIG:PTYP FIELD IS REQUIRED WHEN THE CORRESPONDING PORTS_CONFIG:PREF FIELD IS POPULATED
P030	THE PORTS_CONFIG:PTYP FIELD IS PROHIBITED WHEN THE CORRESPONDING PORTS_CONFIG:PREF FIELD IS NOT POPULATED
P031	VALID VALUES FOR THE PORTS_CONFIG:PTYP FIELD ARE 'AA', 'AB', 'AC', 'AD', 'AE', 'AF', 'AG', 'AH', 'AJ', 'AK', 'AL', 'AM', 'AN', 'AP', 'AQ', 'AR', 'AS', 'AT', 'AU', 'AV', 'AW', 'AX', 'AY', 'AZ', 'BA', 'BB', 'BC', 'BD', 'BE', 'BF', 'BG', 'BH', 'BJ', 'BK', 'BL', 'BM', 'BN', 'BP', 'BQ', 'BR', 'BS', 'BT', 'BU', 'BV', 'BW', 'BX', 'BY' AND 'ZZ'
P032	THE PORTS_CONFIG:PQTY FIELD IS REQUIRED WHEN THE CORRESPONDING PORTS_CONFIG:PREF FIELD IS POPULATED
P033	THE PORTS_CONFIG:PQTY FIELD IS PROHIBITED WHEN THE CORRESPONDING PORTS_CONFIG:PREF FIELD IS NOT POPULATED
P034	THE PORTS_CONFIG:PQTY FIELD SHOULD BE 3 NUMERICS
P035	THE PORTS_CONFIG:EQP FIELD IS PROHIBITED WHEN THE CORRESPONDING PORTS_CONFIG:PREF FIELD IS NOT POPULATED
P036	VALID VALUE FOR THE PORTS_CONFIG:EQP FIELD IS 'Y'
P037	THE PORTS_CONFIG:MODE FIELD IS PROHIBITED WHEN THE CORRESPONDING PORTS_CONFIG:PTYP FIELD IS 'AB', 'AC', 'AE', 'AF' OR 'BR'
P038	VALID VALUES FOR THE PORTS_CONFIG:MODE FIELD ARE 'A', 'B' AND 'C'
P039	THE PORTS_CONFIG:PWR FIELD IS PROHIBITED WHEN THE CORRESPONDING PORTS_CONFIG:MODE FIELD IS NOT POPULATED

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
P040	VALID VALUES FOR THE PORTS_CONFIG:PWR FIELD ARE 00 - 99
P041	THE PORTS_CONFIG:WAVELENGTH FIELD IS PROHIBITED WHEN THE CORRESPONDING PORTS_CONFIG:PTYP FIELD IS 'AB' OR 'AC'
P042	THE LENGTH OF THE PORTS_CONFIG:WAVELENGTH FIELD SHOULD BE 7 CHARACTERS
P043	THE PORTS_CONFIG:PQPR FIELD IS PROHIBITED WHEN THE EUSA:NSL FIELD IS POPULATED
P044	THE PORTS_CONFIG:QPR FIELD IS PROHIBITED WHEN THE EUSA:NSL FIELD IS POPULATED
R11	PRILOC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C' AND THE ASR:ACTL FIELD IS BLANK
R12	THE LENGTH OF THE RING:PRILOC FIELD MUST BE '9' OR '12' CHARACTERS WHEN THE RING:PRILOC(1) FIELD IS 'C'
R13	THE LENGTH OF THE RING:SECLOC FIELD MUST BE '9' OR '12' CHARACTERS WHEN THE RING:SECLOC(1) FIELD IS 'C'
R14	THE RING:PRILOC_SPOT FIELD MUST BE EXACTLY '8' OR '11' CHARACTERS
R15	THE RING:SECLOC_SPOT FIELD MUST BE EXACTLY '8' OR '11' CHARACTERS
R16	THE RING:SEGACTION FIELD MUST BE 'N', 'C', 'D', OR 'R'; WHEN THE ASR:ACT FIELD IS 'C';
R17	THE RING:SPEC FIELD MUST BE POPULATED WITH ANY ALPHA CHARACTER EXCEPT 'I' OR ANY NUMERIC CHARACTER EXCEPT '0';
SA1	SALI:CITY IS PROHIBITED UNLESS SALI:SASN IS POPULATED
T1	THE SA:CKLT FIELD MUST BE EXACTLY '8' OR '11' CHARACTERS
T2	THE TRANS:NVC FIELD MUST BE EQUAL TO THE NUMBER OF CIRCUITS ON THE VC FORM
T3	THE TRANS:SMUXLOC FIELD IS PROHIBITED WHEN THE TRANS:SCFA FIELD IS NOT POPULATED
T4	THE TRANS:HBAN FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C', THE TRANS:CFA FIELD IS POPULATED AND RATCHETING OF THE HI-CAP ACCOUNT IS REQUIRED
T5	VALID ENTRY OF 'M' IS PROHIBITED FOR THE TRANS:MST FIELD IF THE MST FIELD ON ANY MSL FORM IS 'M';
T6	THE TRANS:SMUXLOC FIELD IS REQUIRED WHEN THE ASR:RQTYP(1) FIELD IS 'S' OR 'V', THE ASR:ACT FIELD 'N', 'T', OR 'C', THE TRANS:SCFA FIELD IS POPULATED AND THE TRANS:CFAU FIELD IS NOT POPULATED
TQ01	THE TQ.ATTEST_RESP FIELD IS REQUIRED WHEN THE CORRESPONDING TQ.ATTEST_TN FIELD IS POPULATED
TQ02	THE TQ.ATTEST_RESP FIELD IS PROHIBITED WHEN THE CORRESPONDING TQ.ATTEST_TN FIELD IS NOT POPULATED
TQ03	THE TQ.ATTEST_TN FIELD IS PROHIBITED UNLESS (((THE FIRST POSITION OF THE ASR.TQ FIELD IS "B", "D", "U" OR "T") AND (THE ASR.ACT FIELD IS "N") AND (THE ASR.ACTI FIELD IS "C") AND (THE TQ.DIR FIELD IS "10", "20" OR "2W")), OR ((THE FIRST POSITION OF THE ASR.TQ FIELD IS "B", "D", "U" OR "T") AND (THE ASR.ACTI FIELD IS "B") AND (THE TQ.DIR FIELD IS "10", "20" OR "2W")) OR ((THE FIRST POSITION OF THE ASR:TQ FIELD IS "B", "U", "D", "T", "L", "M", "W", OR "X") AND (THE ASR:ACT FIELD IS "C"), AND (THE TQ:DIR FIELD IS "10", "20" OR "2W")))

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
TQ04	THE TQ:CIP FIELD IS REQUIRED FOR CCS TRUNKS WHEN THE ASR:CC FIELD IS NOT POPULATED AND THE ASR:WST FIELD IS NOT POPULATED AND THE TQ:CIC FIELD OR THE TQ:ACIC FIELD IS POPULATED
TQ05	THE TQ:ANI_II FIELD IS REQUIRED WHEN ANY OCCURRENCE OF THE TQ:SERV_PREF IS POPULATED
TQ06	THE TQ:ANI_II FIELD IS REQUIRED WHEN ANY OCCURRENCE OF THE TQ:SERV_PREF IS POPULATED
TQ07	VALID ENTRY OF 'C' IS APPLICABLE FOR CCS TRUNKS ONLY
TQ08	THE TQ:DIR FIELD MUST BE '1O', '2O' or '2W' WHEN THE ASR:TQ(1) IS 'M' OR 'X';
TQ09	THE TQ:ALTREF FIELD IS REQUIRED WHEN THE TQ:TGACT FIELD IS "D" AND THE TQ:TGTYP FIELD IS "A", "B", "C" OR "D" AND THE ASR:ACTI FIELD IS "E"
TR1	THE TRUNK:PSAP FIELD IS PROHIBITED WHEN THE ASR:RQTYP(1) FIELD IS 'L'
TR10	THE TRUNK:QACI FIELD MUST EQUAL THE TOTAL NUMBER OF ACI CIRCUIT DETAIL SECTIONS WHEN ORDERING SWITCHED SERVICES
TR11	THE TRUNK:SMUXLOC FIELD IS REQUIRED WHEN UTILIZING MULTIPLEXING SERVICES AND THE ASR:ACT FIELD IS 'N';
TR12	THE TRUNK:MUXLOC FIELD IS REQUIRED WHEN UTILIZING MULTIPLEXING SERVICES AND THE ASR:ACT FIELD IS 'N';
TR13	THE TRUNK:TTT FIELD IS PROHIBITED UNLESS THE (ASR:REQTYP(1) FIELD IS 'M' AND THE ASR:ACTI FIELD IS 'C') OR (THE ASR:REQTYPE(1) FIELD IS 'M' AND THE ASR:ACT FIELD IS 'C') OR (THE ASR:REQTYP(1) FIELD IS 'M', THE ASR:ACT FIELD IS 'N' AND THE ASR:ACTI FIELD IS 'B');
TR2	THE TRUNK:FACTL FIELD MUST BE EXACTLY '8' OR '11' CHARACTERS
TR3	THE TRUNK:SSPC_LOC FIELD MUST BE EXACTLY '8' OR '11' CHARACTERS
TR4	THE TRUNK:SSPC_LOC FIELD WAS NOT FOUND IN THE LOCATION TABLE
TR5	THE TRUNK:SMUXLOC FIELD IS PROHIBITED WHEN THE TRUNK:SCFA FIELD IS NOT POPULATED
TR6	THE TEN-THOUSAND DIGIT SHOULD ALWAYS BE ZERO
TR7	THE TRUNK:TTT FIELD IS PROHIBITED FOR FGB SERVICES WHEN THE NC CODE SPECIFIES ROTARY DIAL STATION SIGNALING TRANSPORT TERMINATION
TR8	THE TRUNK:TTT FIELD IS PROHIBITED UNLESS THE ASR:REQTYP(1) FIELD IS 'M' AND THE ASR:ACT FIELD IS 'C';
TR9	THE TRUNK:TTT FIELD IS PROHIBITED UNLESS THE ASR:REQTYP(1) FIELD IS 'M' AND THE ASR:ACT FIELD IS 'N' AND THE ASR:ACTI FIELD IS 'B';
TS01	THE TSR:TACT FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', 'D', 'M' OR 'T'
TS02	VALID VALUES FOR THE TSR:TACT FIELD ARE 'C', 'M', 'N', 'R' AND 'S'
TS03	THE TSR:TBAN FIELD LENGTH SHOULD NOT EXCEED 12 CHARACTERS
TS04	THE TSR:AC_MCO FIELD WAS NOT FOUND IN THE LOCATION TABLE
TS05	THE TSR:AC_MCO FIELD SHOULD NOT EXCEED 11 CHARACTERS
TS06	THE TSR:FETL FIELD MUST BE 3 - 10 NUMERICS
TS07	THE TSR:ROTL FIELD MUST BE 10 NUMERICS

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
TS08	THE TSR:ACTL FIELD IS REQUIRED WHEN THE ASR:REQTYP(1) FIELD IS NOT 'W' AND THE TSR:TACT FIELD IS NOT 'S'
TS09	THE TSR:ACTL FIELD WAS NOT FOUND IN THE LOCATION TABLE
TS10	THE TSR:ACTL FIELD CANNOT EXCEED 11 CHARACTERS
TS11	THE TSR:CKR FIELD CANNOT EXCEED 53 CHARACTERS
TS12	THE TSR:ECCKT FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS NOT 'N' OR THE ASR:ECCKT FIELD IS POPULATED
TS13	THE TSR:ECCKT FIELD CANNOT EXCEED 53 CHARACTERS
TS14	THE TSR:TESTCON FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', 'M', 'D' OR 'T' AND THE TSR: GAS_I, TSR:TSR1004_I, TSR:CMN_I, TSR:CNT_I, TSR:BAL_I OR TSR:ROTY FIELD IS POPULATED
TS15	THE TSR:TESTCON FIELD SHOULD NOT EXCEED 15 ALPHAS
TS16	THE TSR:TCONTEL FIELD IS REQUIRED WHEN THE TSR:TESTCON FIELD IS POPULATED
TS17	THE TSR:TCONTEL FIELD IS PROHIBITED WHEN THE TSR:TESTCON FIELD IS NOT POPULATED
TS18	THE TSR:TCONTEL FIELD SHOULD BE 10 - 14 NUMERICS
TS19	THE TSR:TECHAT FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', 'D', 'M' OR 'T' AND THE TSR:ROTY FIELD IS 'M' OR 'N'
TS20	VALID VALUES FOR THE TSR:TECHAT FIELD ARE 'ACTL', 'EUPR' AND 'TLCO'
TS21	THE TSR:TESTCON_STREET FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', 'D', 'M' OR 'T' AND THE TSR: GAS_I, TSR:TSR1004_I, TSR:CMN_I, TSR:CNT_I, TSR:BAL_I or TSR:ROTY FIELD IS POPULATED
TS22	THE TSR:TESTCON_STREET FIELD SHOULD NOT EXCEED 25 CHARACTERS
TS23	THE TSR:TESTCON_CITY FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', 'D', 'M' OR 'T' AND THE TSR: GAS_I, TSR:TSR1004_I, TSR:CMN_I, TSR:CNT_I, TSR:BAL_I or TSR:ROTY FIELD IS POPULATED
TS24	THE TSR:TESTCON_CITY FIELD SHOULD BE ALPHAS
TS25	THE TSR:TESTCON_CITY FIELD SHOULD NOT EXCEED 25 ALPHAS
TS26	THE TSR:TESTCON_STATE FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', 'D', 'M' OR 'T' AND THE TSR: GAS_I, TSR:TSR1004_I, TSR:CMN_I, TSR:CNT_I, TSR:BAL_I or TSR:ROTY FIELD IS POPULATED
TS27	THE TSR:TESTCON_STATE FIELD SHOULD BE 2 ALPHAS
TS28	THE TSR:TESTCON_ZIP FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', 'D', 'M' OR 'T' AND THE TSR: GAS_I, TSR:TSR1004_I, TSR:CMN_I, TSR:CNT_I, TSR:BAL_I or TSR:ROTY FIELD IS POPULATED
TS29	THE TSR:TESTCON_ZIP FIELD SHOULD NOT EXCEED 12 CHARACTERS
TS30	THE TSR:TESTCON_FL FIELD SHOULD NOT EXCEED 3 CHARACTERS
TS31	THE TSR:TESTCON_RM FIELD SHOULD NOT EXCEED 6 CHARACTERS
TS32	VALID FORMAT FOR THE TSR:DTSD FIELD IS CCYYMMDD
TS33	THE TSR:REMARKS FIELD SHOULD NOT EXCEED 124 CHARACTERS
TS34	VALID VALUES FOR THE TSR:ROTY FIELD ARE 'A', 'C', 'M', 'N', 'O' AND 'U'
TS35	THE TSR:ECAN FIELD IS REQUIRED WHEN THE TSR:ROTY FIELD IS 'A', 'C', 'U' OR 'O' AND THE GAS_I, TSR:TSR1004_I, TSR:CMN_I, TSR:CNT_I OR TSR:BAL_I FIELD IS NOT 'DSC'
TS36	VALID VALUES FOR THE TSR:ECAN FIELD ARE 'N' AND 'Y'
TS37	THE TSR: TSR1004_EMLA FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C', THE TSR:ROTY FIELD IS 'A', 'C', 'U' OR 'O' AND THE TSR: TSR1004_I OR TSR:GAS_I FIELD IS NOT 'DSC'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
TS38	THE LENGTH OF THE TSR:TSR1004_EMLA FIELD SHOULD NOT EXCEED 5 AND SHOULD BE NUMERICS INCLUDING A DECIMAL AND A HYPHEN
TS39	THE TSR: TSR1004_EMLZ FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N' OR 'C', THE TSR:ROTY FIELD IS 'A', 'C', 'U' OR 'O' AND THE TSR: TSR1004_I OR TSR:GAS_I FIELD IS NOT 'DSC'
TS40	THE LENGTH OF THE TSR:TSR1004_EMLZ FIELD SHOULD NOT EXCEED 5 AND SHOULD BE NUMERICS INCLUDING A HYPHEN AND A DECIMAL
TS41	VALID VALUE FOR THE TSR:ADT FIELD IS 'Y'
TS42	VALID VALUE FOR THE TSR:CMN FIELD IS 'Y'
TS43	VALID VALUE FOR THE TSR:CNT FIELD IS 'Y'
TS44	VALID VALUE FOR THE TSR:DCC FIELD IS 'Y'
TS45	VALID VALUE FOR THE TSR:DPB FIELD IS 'Y'
TS46	VALID VALUE FOR THE TSR:ECO FIELD IS 'Y'
TS47	VALID VALUE FOR THE TSR:EDD FIELD IS 'Y'
TS48	VALID VALUE FOR THE TSR:FRS FIELD IS 'Y'
TS49	VALID VALUE FOR THE TSR:GAS FIELD IS 'Y'
TS50	VALID VALUE FOR THE TSR:IDT FIELD IS 'Y'
TS51	VALID VALUE FOR THE TSR:IMN FIELD IS 'Y'
TS52	VALID VALUE FOR THE TSR:NVT FIELD IS 'Y'
TS53	VALID VALUE FOR THE TSR:PHJ FIELD IS 'Y'
TS54	VALID VALUE FOR THE TSR:SCN FIELD IS 'Y'
TS55	VALID VALUE FOR THE TSR:OTH FIELD IS 'Y'
TS56	THE TSR:GAS_I FIELD IS REQUIRED WHEN THE TSR:ROTY FIELD IS POPULATED
TS57	VALID VALUES FOR THE TSR:GAS_I FIELD ARE 'DSC', 'NSD', '007', '014', '030', '090', '180' AND '365'
TS58	THE TSR:CMN_I FIELD IS REQUIRED WHEN THE TSR:ROTY FIELD IS POPULATED
TS59	VALID VALUES FOR THE TSR:CMN_I FIELD ARE 'DSC', 'NSD', '007', '014' AND '030'
TS60	THE TSR:CNT_I FIELD IS REQUIRED WHEN THE TSR:ROTY FIELD IS POPULATED
TS61	VALID VALUES FOR THE TSR:CNT_I FIELD ARE 'DSC', 'NSD', '007', '014' AND '030'
TS62	THE TSR:BAL_I FIELD IS REQUIRED WHEN THE TSR:ROTY FIELD IS POPULATED
TS63	VALID VALUES FOR THE TSR:BAL_I FIELD ARE 'DSC', 'NSD', '007', '014' AND '030'
TS64	THE TSR: TSR1004_TTL FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:GAS_I AND TSR:TSR1004_I FIELDS ARE NOT 'DSC' OR 'NSD'
TS65	THE TSR:TSR1004_TTL FIELD SHOULD NOT EXCEED 11 CHARACTERS
TS66	THE TSR: TSR404_TTL FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:GAS_I FIELD IS NOT 'DSC' OR 'NSD'
TS67	THE TSR:TSR404_TTL FIELD SHOULD NOT EXCEED 11 CHARACTERS
TS68	THE TSR: TSR2804_TTL FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:GAS_I FIELD IS NOT 'DSC' OR 'NSD'

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
TS69	THE TSR:TSR2804_TTL FIELD SHOULD NOT EXCEED 11 CHARACTERS
TS70	THE TSR: CMN_TTL FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:CMN_I FIELD IS NOT 'DSC' OR 'NSD'
TS71	THE TSR:CMN_TTL FIELD SHOULD NOT EXCEED 2 NUMERICS
TS72	THE TSR: CNT_TTL FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:CNT_I FIELD IS NOT 'DSC' OR 'NSD'
TS73	THE TSR:CNT_TTL FIELD SHOULD NOT EXCEED 2 NUMERICS
TS74	THE TSR: BTL_ERLA FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:BAL_I FIELD IS NOT 'DSC' OR 'NSD'
TS75	THE TSR:BTL_ERLA FIELD SHOULD NOT EXCEED 2 NUMERICS
TS76	THE TSR: BTL_SRLA FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:BAL_I FIELD IS NOT 'DSC' OR 'NSD'
TS77	THE LENGTH OF THE TSR:BTL_SRLA FIELD SHOULD NOT EXCEED 5 AND SHOULD BE NUMERICS INCLUDING A SEMI-COLON
TS78	THE TSR: BTL_ERLZ FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:BAL_I FIELD IS NOT 'DSC' OR 'NSD'
TS79	THE TSR:BTL_ERLZ FIELD SHOULD NOT EXCEED 2 NUMERICS
TS80	THE TSR: BTL_SRLZ FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:BAL_I FIELD IS NOT 'DSC' OR 'NSD'
TS81	THE LENGTH OF THE TSR:BTL_SRLZ FIELD SHOULD NOT EXCEED 5 AND SHOULD BE NUMERICS INCLUDING A SEMI-COLON
TS82	THE TSR: TSR1004_TML FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:GAS_I and TSR:TSR1004_I FIELDS ARE NOT 'DSC' OR 'NSD'
TS83	THE TSR:TSR1004_TML FIELD SHOULD NOT EXCEED 11 CHARACTERS
TS84	THE TSR: TSR404_TML FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:GAS_I FIELD IS NOT 'DSC' OR 'NSD'
TS85	THE TSR:TSR404_TML FIELD SHOULD NOT EXCEED 11 CHARACTERS
TS86	THE TSR: TSR2804_TML FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:GAS_I FIELD IS NOT 'DSC' OR 'NSD'
TS87	THE TSR:TSR2804_TML FIELD SHOULD NOT EXCEED 11 CHARACTERS
TS88	THE TSR: CMN_TML FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:CMN_I FIELD IS NOT 'DSC' OR 'NSD'
TS89	THE TSR:CMN_TML FIELD SHOULD NOT EXCEED 2 NUMERICS
TS90	THE TSR: CNT_TML FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:CNT_I FIELD IS NOT 'DSC' OR 'NSD'
TS91	THE TSR:CNT_TML FIELD SHOULD NOT EXCEED 2 NUMERICS

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
TS92	THE TSR:BML_ERLA FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:BAL_I FIELD IS NOT 'DSC' OR 'NSD'
TS93	THE TSR:BML_ERLA FIELD SHOULD NOT EXCEED 2 NUMERICS
TS94	THE TSR: BML_SRLA FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:BAL_I FIELD IS NOT 'DSC' OR 'NSD'
TS95	THE LENGTH OF THE TSR:BML_SRLA FIELD SHOULD NOT EXCEED 5 AND SHOULD BE NUMERICS INCLUDING A SEMI-COLON
TS96	THE TSR: BML_ERLZ FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:BAL_I FIELD IS NOT 'DSC' OR 'NSD'
TS97	THE TSR:BML_ERLZ FIELD SHOULD NOT EXCEED 2 NUMERICS
TS98	THE TSR: BML_SRLZ FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:BAL_I FIELD IS NOT 'DSC' OR 'NSD'
TS99	THE LENGTH OF THE BML_SRLZ FIELD SHOULD NOT EXCEED 5 AND SHOULD BE NUMERICS INCLUDING A SEMI-COLON
TSA1	THE TSR: TSR1004_TAL FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:GAS_I AND TSR:TSR1004_I FIELDS ARE NOT 'DSC' OR 'NSD'
TSA2	THE TSR:TSR1004_TAL FIELD SHOULD NOT EXCEED 11 CHARACTERS
TSA3	THE TSR: TSR404_TAL FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:GAS_I FIELD IS NOT 'DSC' OR 'NSD'
TSA4	THE TSR:TSR404_TAL FIELD SHOULD NOT EXCEED 11 CHARACTERS
TSA5	THE TSR: TSR2804_TAL FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:GAS_I FIELD IS NOT 'DSC' OR 'NSD'
TSA6	THE TSR:TSR2804_TAL FIELD SHOULD NOT EXCEED 11 CHARACTERS
TSA7	THE TSR: CMN_TAL FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:CMN_I FIELD IS NOT 'DSC' OR 'NSD'
TSA8	THE TSR:CMN_TAL FIELD SHOULD NOT EXCEED 2 NUMERICS
TSA9	THE TSR: CNT_TAL FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:CNT_I FIELD IS NOT 'DSC' OR 'NSD'
TSB1	THE TSR:CNT_TAL FIELD SHOULD NOT EXCEED 2 NUMERICS
TSB2	THE TSR: BAL_ERLA FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:BAL_I FIELD IS NOT 'DSC' OR 'NSD'
TSB3	THE TSR:BAL_ERLA FIELD SHOULD NOT EXCEED 2 NUMERICS
TSB4	THE TSR: BAL_SRLA FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:BAL_I FIELD IS NOT 'DSC' OR 'NSD'
TSB5	THE LENGTH OF THE TSR:BAL_SRLA FIELD SHOULD NOT EXCEED 5 AND SHOULD BE NUMERICS INCLUDING A SEMI-COLON

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
TSB6	THE TSR: BAL_ERLZ FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:BAL_I FIELD IS NOT 'DSC' OR 'NSD'
TSB7	THE TSR:BAL_ERLZ FIELD SHOULD NOT EXCEED 2 NUMERIC
TSB8	THE TSR: BAL_SRLZ FIELD IS REQUIRED WHEN THE ASR:REQTYP (1) FIELD IS 'M', THE TSR:TACT FIELD IS 'N', THE TSR:ECCKT FIELD IS POPULATED AND THE TSR:BAL_I FIELD IS NOT 'DSC' OR 'NSD'
TSB9	THE LENGTH OF THE TSR:BAL_SRLZ FIELD SHOULD NOT EXCEED 5 AND SHOULD BE NUMERIC INCLUDING A SEMI-COLON
TSC1	THE TSR:TSR1004_I FIELD IS REQUIRED WHEN THE TSR:ROTY FIELD IS POPULATED
TSC2	VALID VALUES FOR THE TSR:TSR1004_I FIELD ARE 'DSC', 'NSD', '007', '014' AND '030'
TSC3	THE FORMAT OF THE TSR:TSR1004_TTL FIELD IS INVALID
TSC4	THE FORMAT OF THE TSR:TSR1004_TML FIELD IS INVALID
TSC5	THE FORMAT OF THE TSR:TSR1004_TAL FIELD IS INVALID
TSC6	THE FORMAT OF THE TSR:TSR404_TTL FIELD IS INVALID
TSC7	THE FORMAT OF THE TSR:TSR404_TML FIELD IS INVALID
TSC8	THE FORMAT OF THE TSR:TSR404_TAL FIELD IS INVALID
TSC9	THE FORMAT OF THE TSR:TSR2804_TTL FIELD IS INVALID
TSD1	THE FORMAT OF THE TSR:TSR2804_TML FIELD IS INVALID
TSD2	THE FORMAT OF THE TSR:TSR2804_TAL FIELD IS INVALID
W001	THE WAL:NC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T'
W002	THE WAL:NC FIELD SHOULD NOT EXCEED 4 CHARACTERS
W003	THE WAL:TLV FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS NOT 'N', 'C' OR 'T'
W004	INVALID FORMAT FOR THE WAL:TLV FIELD
W005	THE WAL:TLV FIELD SHOULD NOT EXCEED 6 CHARACTERS
W006	THE WAL:DTO FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS NOT 'N' OR 'T'
W007	THE WAL:DTO FIELD SHOULD NOT EXCEED 11 CHARACTERS
W008	THE WAL:SECNCI FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C' OR 'T'
W009	THE WAL:SECNCI FIELD SHOULD NOT EXCEED 12 CHARACTERS
W010	POSITIONS 1-6 OF THE WAL:SECTLV FIELD ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', OR 'T' AND POSITION 8 OR 11 OF THE WAL:SECNCI FIELD IS 'I'
W011	POSITIONS 1-6 OF THE WAL:SECTLV FIELD ARE PROHIBITED UNLESS POSITIONS 8 OR 11 OF THE WAL:SECNCI FIELD IS 'I'
W012	POSITIONS 7-12 OF THE WAL:SECTLV FIELD ARE REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'C', OR 'T' AND POSITION 9 OR 12 OF THE WAL:SECNCI FIELD IS 'I'
W013	POSITIONS 7-12 OF THE WAL:SECTLV FIELD ARE PROHIBITED UNLESS POSITIONS 9 OR 12 OF THE WAL:SECNCI FIELD IS 'I'
W014	INVALID FORMAT FOR THE WAL:SECTLV FIELD
W015	INVALID FORMAT FOR THE WAL:SECTLV FIELD
W016	INVALID FORMAT FOR THE WAL:SECTLV FIELD
W017	THE WAL:SECTLV FIELD SHOULD NOT EXCEED 12 CHARACTERS

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
W018	THE WAL:PIC FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS NOT 'N' OR 'C'
W019	THE WAL:PIC FIELD SHOULD NOT EXCEED 7 CHARACTERS
W020	THE WAL:NSL FIELD IS REQUIRED WHEN THE MSL FORM IS POPULATED
W021	THE WAL:NSL FIELD IS PROHIBITED WHEN THE MSL FORM IS NOT POPULATED
W022	VALID VALUES FOR THE WAL:NSL FIELD ARE 00 - 99
W023	THE WAL:S25 FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N'
W024	VALID VALUES FOR THE WAL:S25(1) FIELD ARE 'A', 'B', 'C' AND 'N' IF THE FIRST POSITION IS 'N', THE SECOND POSITION MUST BE 'A'
W025	THE WAL:S25 FIELD SHOULD NOT EXCEED 8 CHARACTERS
W026	THE WAL:ER FIELD IS PROHIBITED WHEN THE WAL:S25(1) FIELD IS NOT 'A' OR 'B'
W027	VALID VALUES FOR THE WAL:ER FIELD ARE '1', '2', '3', '4', '5', '6' AND '7'
W028	THE WAL:SR FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'M'
W029	VALID VALUES FOR THE WAL:SR FIELD ARE 'A', 'B', 'C' AND 'D'
W030	THE WAL:DRL FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS NOT 'N', 'C', 'T' OR 'R'
W031	VALID VALUES FOR THE WAL:DRL FIELD ARE 'N', 'U' AND 'Y'
W032	THE WAL:TLA FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS NOT 'N' OR 'C'
W033	VALID VALUES FOR WAL:TLA FIELD ARE 'R' AND 'Y'
W034	THE WAL:BAND FIELD SHOULD NOT EXCEED 1 CHARACTER
W035	THE WAL:HNTYP FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS NOT 'N' OR 'C'
W036	THE WAL:HPF FIELD IS REQUIRED WHEN THE WAL:HNTYP FIELD IS 'PF' OR 'CP'
W037	VALID VALUES FOR WAL:HNTYP FIELD ARE 'CP', 'CR', 'PF', 'RG' AND 'UD'
W038	VALID VALUES FOR THE WAL:BLOCK FIELD ARE 'A', 'B', 'C', 'D', 'E', 'F', 'G' AND 'H'
W039	THE WAL:NHNI FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS NOT 'N' OR 'C'
W040	VALID VALUES FOR THE WAL:NHNI FIELD ARE 'R' AND 'Y'
W041	THE WAL:HPF FIELD IS PROHIBITED WHEN THE WAL:HNTYP FIELD IS NOT 'PF' OR 'CP'
W042	THE WAL:HPF FIELD SHOULD NOT EXCEED 75 CHARACTERS
W043	VALID VALUE FOR THE WAL:CFAU FIELD IS 'Y'
W044	THE WAL:CFA FIELD SHOULD NOT EXCEED 42 CHARACTERS
W045	THE WAL:BAAD FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS NOT 'N' OR 'C'
W046	THE WAL:BAAD FIELD SHOULD NOT EXCEED 19 CHARACTERS
W047	THE WAL:SECLOC FIELD IS REQUIRED WHEN THE ASR:ACT FIELD IS 'N', 'T' OR 'M'
W048	VALID VALUE FOR THE WAL:SECLOC FIELD IS 'E'
W049	THE WAL:OTC FIELD IS REQUIRED WHEN THE ASR:ASC_EC FIELD IS POPULATED
W050	THE WAL:OTC FIELD IS PROHIBITED WHEN THE ASR:ASC_EC FIELD IS NOT POPULATED
W051	THE WAL:OTC FIELD SHOULD NOT EXCEED 4 CHARACTERS

Wisor Business Rule Error Messages for Access Service Requests

EXCEPTION CODE	EXCEPTION MESSAGE
W052	THE WAL:TNC_TO FIELD IS PROHIBITED WHEN THE ASR:ACT FIELD IS 'N', 'M' OR 'T'
W053	WAL:TNC_TO FIELD SHOULD BE "TBA" OR 10 NUMERICS
W054	THE WAL:TNC_PER FIELD IS PROHIBITED WHEN THE WAL:TNC_TO FIELD IS NOT POPULATED
W055	VALID FORMAT FOR THE WAL:TNC_PER FIELD IS CCYYMMDD
W056	THE WAL:LOCBAN FIELD SHOULD NOT EXCEED 12 CHARACTERS
W057	THE WAL:MAN FIELD SHOULD NOT EXCEED 12 CHARACTERS
W058	THE WAL:GCON FIELD IS REQUIRED WHEN THE WAL:GETO FIELD IS POPULATED WITH A VALUE OTHER THAN 'N', 'S', 'U' OR 'W'
W059	VALID VALUES FOR THE WAL:GETO FIELD ARE 'A', 'B', 'C', 'E', 'G', 'L', 'M', 'N', 'O', 'R', 'S', 'T', 'U', 'V', 'W', 'Y' AND 'Z'
W060	THE WAL:GBTN FIELD IS PROHIBITED WHEN THE WAL:GETO FIELD IS NOT POPULATED OR IS POPULATED WITH 'A', 'E', 'S', 'T', 'U', 'V', 'W', 'Y', OR 'Z'
W061	WAL:GBTN FIELD SHOULD BE 10 NUMERICS
W062	THE WAL:GCON FIELD IS REQUIRED WHEN THE WAL:DRL FIELD IS 'U'
W063	THE WAL:GCON FIELD SHOULD NOT EXCEED 25 CHARACTERS
W064	THE WAL:GTEL FIELD IS REQUIRED WHEN THE WAL:GCON FIELD IS POPULATED
W065	THE WAL:GTEL FIELD IS PROHIBITED WHEN THE WAL:GCON FIELD IS NOT POPULATED
W066	WAL:GTEL FIELD SHOULD BE 10 OR 14 NUMERICS
W067	THE WAL:EUCON_STR FIELD SHOULD NOT EXCEED 25 CHARACTERS
W068	THE WAL:EUCON_FL FIELD SHOULD NOT EXCEED 3 CHARACTERS
W069	THE WAL:EUCON_RM FIELD SHOULD NOT EXCEED 6 CHARACTERS
W070	WAL:EUCON_CITY FIELD SHOULD NOT EXCEED 25 ALPHAS
W071	WAL:EUCON_STATE FIELD SHOULD BE 2 ALPHAS
W072	THE WAL:EUCON_ZIP FIELD SHOULD NOT EXCEED 12 CHARACTERS
W073	WAL:CTX_TEL FIELD SHOULD BE 10 NUMERICS
W074	THE WAL:CTX_NAME FIELD IS REQUIRED WHEN THE WAL:CTX_TEL FIELD IS POPULATED
W075	THE WAL:CTX_NAME FIELD IS PROHIBITED WHEN THE WAL:CTX_TEL FIELD IS NOT POPULATED
W076	THE WAL:CTX_NAME FIELD SHOULD NOT EXCEED 25 CHARACTERS
W077	THE WAL:REMARKS FIELD SHOULD NOT EXCEED 124 CHARACTERS
W078	INVALID FORMAT FOR THE WAL:CFA FIELD
W079	THE 'A' LOCATION OF THE WAL:CFA FIELD WAS NOT FOUND IN THE LOCATION TABLE
W080	THE 'Z' LOCATION OF THE WAL:CFA FIELD WAS NOT FOUND IN THE LOCATION TABLE